

Gift of
Earl Blough
November 1957

CATALOGUE
For 1853,
OF A FINE COLLECTION OF
FLORICULTURAL,
VEGETABLE AND AGRICULTURAL
SEEDS,

COMPRISING SPLENDID ASSORTMENTS OF
GERMAN ASTERS, STOCKS, ZINNIAS, &c.,
besides a numerous List of other established
favourites, and many new and rare Seeds.

In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1853.

Page 2 and 3 Necessary explanations.
4 German Flower Seeds.
5 to 23 Miscellaneous Flower Seeds.
24 Sundry Assortments.

Page 25 Packets of mixed Flower Seeds.
26 & 27 Flowering Bulbs.
28 to 31 Kitchen Garden and Fruit Seeds.
32 Agricultural Seeds.

Page 32, a Collection of the Newest Annuals, including Flower Seeds from Texas, many of which are exclusively in J. Carter's possession.

~~~~~  
THE  
**LIST OF VEGETABLE SEEDS**  
WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.

~~~~~  
TO BE HAD OF
JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

Catalogues will be forwarded gratis and prepaid on application.

. The German Seeds are from the usual source.

A Catalogue of Dutch Bulbs will be published in the Autumn.

January 1853.

[Entered at Stationers' Hall.]

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness*

- h. hardy—plants for the open borders.
 hh. half-hardy—such as require a hot-bed.
 t. tender—pot plants, require shifting.
 f. frame—require protection till May.
 g. greenhouse—greenhouse plants.
 s. stove or hothouse—stove plants.

and Duration.

- A. annual—last one year.
 B. biennial—last two years.
 P. herbaceous perennial—last three or more.
 S. shrub, or under-shrub.
 Ph. perennial bulb, corn, or tuber.
 T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPh. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPh. stove bulbous perennial.

5th Column.—*Colour of the flower.* The following are the principal abbreviations:

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	flsh. flesh.	peh. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	va. variegated.
bff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. & y. blue, white and yellow; l. r. light red; ro. li. rosy lilac, &c. &c.

6th Column.—*Usual height of the plant in feet*; trai. trailer.

7th Column.—*Usual month of flowering*: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.

8th Column.—*Price per Packet.* 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early.

sp. species; var. varietas; pl. pluria, many; ex, from.—lf. leaf; fr. fruit.

The dots | ... | ... | ... | indicate a repetition.

I. THE 24 LINNEAN CLASSES.

(See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		e. Stamens united in sets.	
	No.	1. Monandria .	16. Monadelphia, 1 set	
		2. Diandria .	17. Diadelphia, 2 sets	
		3. Triandria .	18. Polyadelphia, many sets	
		4. Tetrandria .	d. Compound Flowers (Asters, &c.).	
		5. Pentandria .	19. Syngenesia	
		6. Hexandria .	e. Stamens on the style.	
		7. Heptandria .	20. Gynandria	
		8. Octandria .	f. Male and female separated.	
		9. Enneandria .	21. Monœcia, on one plant	
		10. Decandria .	22. Dioœcia, on different plants	
		11. Dodecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite Flowers on one or different plants.	
		12. Icosandria 20 or more S. on the base	23. Polygamia, many marriages	
		13. Polyandria, many Stamens	h. Flowers wanting, or incomplete.	
		b. Stamens unequal.	24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
		14. Didynamia, 2 long, 2 short		
		15. Tetradyndamia, 4 " 2 "		

II. THE LINNEAN ORDERS.

(See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, Pods, or Fronds.

a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodceagýnia	. 12 "
35. Polygýnia	many "

b. On the Stamens (male organs).

36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Enneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "
48. Polyandria	many "

c. On the sets of Stamens.

49. Monadelphía, 1 set

d. Styles and stamens united.

No. 50. Gynandria, male and female

e. Male and female separate.

51. Monœ'cia, on one plant
52. Dioœ'cia, on different plants

f. On the Polygamy.

53.	{ Polygámia æqualis, or Equat Polygamy
54.	{ Polygámia superflua Superfluous Polygamy
55.	{ Polygámia frustrænea Frustrated Polygamy
56.	{ Polygámia necessariã Necessary Polygamy
57.	{ Polygámia segregatã Separated Polygamy

g. On the Seeds.

58. { Gymnosper'mia
Naked seeds
59. Angiosper'mia, in a capsule

h. On the Pods.

60. Siliiculôsa, a small pod
61. Siliquôsa, a long pod.

i. On the Fronds, &c.

62. Filices, Ferns.

III. THE NATURAL ORDERS.

(See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

63. Acanthaceæ	89. Crucifereæ	115. Lythraceæ	141. Rutaceæ
64. Amaranthaceæ	90. Cucurbitaceæ	116. Magnoliaceæ	142. Salicariaceæ
65. Amaryllidaceæ	91. Dilleniaceæ	117. Malvaceæ	143. Saxifragaceæ
66. Amentaceæ	92. Dipsacæ	118. Marantaceæ	144. Scrophulariaceæ
67. Anacardiaceæ	93. Epacridaceæ	119. Melasthaceæ	145. Selaginaceæ
68. Apocynaceæ	94. Ericaceæ	120. Myrtaceæ	146. Sesamæ
69. Asclepiadaceæ	95. Euphorbiaceæ	121. Nyctaginæ	147. Silenaceæ
70. Aurantiaceæ	96. Ficoideæ	122. Nymphaeaceæ	148. Solanaceæ
71. Balsaminaceæ	97. Filices	123. Oleaceæ	149. Stellatæ
72. Begoniaceæ	98. Francoaceæ	124. Oleaceæ	150. Terebinthaceæ
73. Bignoniaceæ	99. Fumariaceæ	125. Onagraceæ	151. Thymelaceæ
74. Boraginaceæ	100. Gentianaceæ	126. Oxalidaceæ	152. Tropæolaceæ
75. Bruniaceæ	101. Geraniaceæ	127. Papaveraceæ	153. Tulipaceæ
76. Cactaceæ	102. Gesneriaceæ	128. Passifloraceæ	154. Umbellifereæ
77. Campanulaceæ	103. Gramineæ	129. Phytolaccaceæ	155. Urticaceæ
78. Capparidaceæ	104. Hydrophyllaceæ	130. Pittosporaceæ	156. Valerianaceæ
79. Caprifoliaceæ	105. Hypericaceæ	131. Plumbaginaceæ	157. Verbenaceæ
80. Celastrinaceæ	106. Iridaceæ	132. Polemoniaceæ	158. Violaceæ
81. Cinchonaceæ	107. Jasminaceæ	133. Polygalaceæ	159. Hamnaceæ
82. Cistaceæ	108. Labiata	134. Polygonaceæ	160. Zygophyllaceæ
83. Cobæaceæ	109. Leguminosæ	135. Portulacaceæ	
84. Commelinaceæ	110. Liliaceæ	136. Primulaceæ	
85. Compósitæ	111. Limnanthaceæ	137. Proteaceæ	
86. Conifereæ	112. Linaceæ	138. Ranunculaceæ	
87. Convolvulaceæ	113. Loasaceæ	139. Rosedaceæ	
88. Crassulaceæ	114. Lobeliaceæ	140. Rosaceæ	

Additional Order.

161. Sapindaceæ

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in Æ only are not, as COMPOSITE, compound flowers; CRUCIFERA, cross-shaped; LABIATE, lip-flowered, &c.

The Natural Orders, for reference to which the numbers 63 to 161 afford great facility, will prove of essential service to the Amateur in forming, by comparison, an opinion of any plant in this Catalogue which is unknown to him; for instance, Anagallis, Cyclamen, Dodecatheon, Primula sinensis or Chinese Primrose, Auricula and Polyanthus belong to the same Natural Order, Primulaceæ, No. 136; consequently should he not know Dodecatheon, the knowledge of one or more of the others would greatly assist him in forming an opinion of it. In making comparisons, the height of the plant should however be considered. The Aster and the Daisy, for example, belong to the same Natural Order 85, but at first sight there does not appear to be much resemblance between them, the difference in the magnitude of the flowers and height of the plants being so very great.

GERMAN FLOWER SEEDS

IN CHOICE ASSORTMENTS.

The Seeds are warranted of first-rate quality.

Explan. h. hardy; hh. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial.

GERMAN ASTER, <i>hhA.</i>					<i>s. d.</i>
No.	1	12 splendid varieties of German Aster, separate	do.	do.	3 0
	2	12 do. do. do.	do.	smaller packets	1 6
	3	8 superb do. new Perfection	do.	do.	4 0
	4	8 do. do. do.	do.	smaller packets	2 0
	5	12 splendid do. new Globe-flowered	do.	do.	3 0
	6	12 do. do. do.	do.	smaller packets	1 6
	7	12 do. do. new Pyramidal	do.	do.	3 0
	8	12 do. do. do.	do.	smaller packets	1 6
	9	20 beautiful do. early Dwarf	do.	do.	5 0
	10	20 do. do. do.	do.	smaller packets	2 6
	11	10 do. do. do.	do.	do.	2 6
	12	10 do. do. do.	do.	smaller packets	1 6
	13	64 varieties of German Aster, comprising the above	do.	do.	17 0
	14	64 do. do. do.	do.	smaller packets	8 6
GERMAN STOCK, <i>hhA.</i>					
	15	24 finest Dwarf German Stock, separate, <i>hhA.</i>	do.	do.	6 0
	16	24 do. do. do.	do.	smaller packets	3 0
	17	12 do. do. do.	do.	do.	3 0
	18	12 do. do. do.	do.	smaller packets	1 6
	19	12 very fine Branceling do.	do.	do.	3 0
	20	12 do. do. do.	do.	smaller packets	1 6
	21	12 fine Wallflower-leaved	do.	do.	2 6
	22	12 do. do. do.	do.	smaller packets	1 6
	23	6 splendid new large-flowered	do.	do.	2 0
	24	6 beautiful new very dwarf	do.	do.	2 0
	25	12 do. Autumn-flowering	do.	do.	3 0
	26	12 do. do. do.	do.	smaller packets	1 6
	27	72 varieties of German Stock, comprising the above	do.	do.	18 0
	28	72 do. do. do.	do.	smaller packets	9 0
	29	9 superb new Imperial Stock	do. <i>hhP</i> †	do.	3 0
	30	12 finest Winter or Biennial Stock	do. <i>hhB.</i>	do.	3 0
	31	12 do. do. do.	do.	smaller packets	1 6
	32	12 Antirrhinum, finest new varieties, separate, <i>hB</i> †	do.	do.	2 6
	33	20 Balsam, very fine double,	do. <i>tA., hhA., or Greenhouse</i>	do.	4 0
	34	10 do. do. do.	do.	do.	2 0
	35	10 do. new Camellia-flowered	do.	do.	2 0
	36	10 do. splendid new Rose-flowered	do.	do.	2 0
	37	10 do. beautiful new Dwarf	do.	do.	3 0
	38	50 Carnation and Picotee, extra fine, 5 seeds of each, <i>hhP.</i>	do.	do.	12 0
	39	40 Hollyhock, extra fine double, from named flowers, separate, <i>hP.</i>	do.	do.	7 0
	40	20 do. do. do.	do.	do.	3 6
	41	12 Larkspur, finest dwarf Rocket, <i>hA.</i>	do.	do.	2 6
	42	10 do. tall do. <i>hA.</i>	do.	do.	2 0
	43	6 do. new dwarf Hyacinth-flowered, <i>hA.</i>	do.	do.	2 0
	44	6 do. new Stock-flowered, <i>hA.</i>	do.	do.	1 6
	45	12 Marigold, finest and newest varieties, <i>hhA.</i>	do.	do.	3 0
	46	12 Petunia, very fine varieties, <i>hhP</i> †	do.	do.	5 0
	47	12 Phlox Drummondii, extra fine, <i>hhA.</i>	do.	do.	5 0
	48	12 Poppy, finest double, <i>hA.</i>	do.	do.	2 6
	49	12 Salpiglossis, splendid varieties, comprising new scarlet, <i>hhA.</i>	do.	do.	3 6
	50	10 Scabious, new large-flowered, <i>hA.</i>	do.	do.	3 0
	51	12 Wallflower, superb new, <i>h. Shrub</i>	do.	do.	5 0
	52	12 do. do. do.	do.	smaller packets	2 6
	53	24 Zinnia elegans, splendid varieties, <i>hhA.</i>	do.	do.	8 0
	54	12 do. do. do.	do.	do.	4 0

N.B. The Numbers 1 to 24 represent the 24 Linnæan Classes (see Column 1st), whereas those indicating the Linnæan Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 77, belongs to the 5th Linnæan Class, *Pentandria*, the flower having 5 Stamens; to the Linnæan Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 7, No. 184.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acacia speciosa* is rendered showy *Acacia*, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1853. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety, see No. 77. () That the word is not literally translated, or is superadded.			THE ACCENTS.		Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
à, è, ì, ò, ù, ý, as in <i>Acà-cia, Gardè-nia, Lupi-nus, Cù-phaea, Hy-acinth.</i>												
á, é, í, ó, and ý, as in <i>Itál-ica, él-egans, bíc-olor, Nemóph-ila</i> (u similarly placed is long, as in <i>lúeida</i>).												
Scientific Name.												
No.												
55	<i>Abrònia multiflòra</i>	many-flowered	5	25	121	fP†	ro. li.	feet	6-8	6		
56	<i>Acàcia armàta</i>	armed	23	51	109	gS	y.	10	5-7	4		
57	<i>falciformis</i>	sickle-shaped	6	...	4		
58	<i>floribunda</i>	bunch-flowered	4		
59	<i>longiflòra</i>	long-flowered	4		
60	<i>lophantha</i>	crest-flowered	4		
61	<i>pulchella</i>	pretty	4	...	4		
62	<i>speciosa</i>	showy	p.	10	8-10	4		
63	Nos. 56 to 62		y. & p.	div.	div.	2	0	
64	<i>Achimenes</i> , pl. sp.	(splendid mixed)	14	59	102	sPb	div.	1	0	
65	<i>Adenòphora suaveolens</i>	fragrant	5	25	77	hP†	b.	1½	7-8	3		
66	<i>Æthionèma persica</i>	Persian	15	61	89	...	ro.	...	6-8	3		
67	<i>Agapanthus umbellàtus</i>	umbel-flowered	6	25	110	gPb	b.	2½	5-8	6		
68	<i>umbellàtus albus</i>	white do.	w.	6		
69	<i>Agératum</i> sp. albidòrum	(new white)	19	53	85	hA	...	1½	7-10	6		
70	<i>corymbòsum</i>	corymbus-flowered	b.	3		
71	<i>mexicanum</i>	Mexican	3		
72	sp. grandiflòrum	(new large-flowered)	hhA	l. b.	2	...	6		
73	<i>Agrostis elegans</i>	elegant	3	26	103	...	ap.	1	7-8	3		
74	<i>Aloë ferox</i>	(spiny)	6	25	110	gS	y.	6	5-7	6		
75	<i>Alonsòa linearis</i>	linear	14	59	144	hhP†	s.	1	6-9	4		
76	<i>incisifòlia</i>	cut-leaved	4		
77	— picta	painted	s. & w.	4		
78	<i>Alstroemèria aurantiaca</i>	orange	6	25	65	gPb	o.	2½	...	4		
79	<i>Pelegrina</i>	(striped)	stri.	1½	...	4		
80	<i>hybrida nova</i>	new hybrid	div.	2	...	6		
81	<i>pulchella</i>	pretty	s.	1½	...	4		
82	<i>tricolor</i>	three-coloured	var.	1	...	4		
83	<i>Alyssum maritimum</i>	(Sweet Alyssum)	15	60	89	hA	w.	½	6-8	3		
84	<i>saxatile</i>	rock	hP†	y.	1	5-7	3		
85	<i>Amaranthus tricolor</i>	three-coloured	21	40	64	tA	va. lf.	...	7-8	3		
86	<i>Amethystea cærùlea</i>	blue	2	25	108	hA	b.	1½	...	3		
87	<i>Ammòbium alàtum</i>	winged	19	53	85	hP†	w.	2	...	3		
88	<i>Anagallis indica</i>	Indian	5	25	136	hA	b.	½	6-7	3		
89	<i>fruticosa</i>	shrubby	gB†	s.	1½	6-9	6		
90	<i>Monelli Phillipsii</i>	(large blue)	gP†	b.	1	...	6		
91	— bicolor	two-coloured	va.	6		
92	<i>Parkii</i>	Park's	s.	6		
93	<i>Anastatica hierochuntina</i>	(Rose of Jericho)	15	60	89	hhA	w.	½	7-8	4		
94	<i>Anchusa arvàlis</i>	(bright blue)	5	25	74	hP†	b.	1½	6-8	3		
95	<i>ochroleuca italica</i>	Italian	3		
96	<i>Anemòne capensis</i>	Cape	13	35	138	gP†	p.	1	...	6		
97	<i>caroliniana</i>	Carolina	hPb†	w.	¾	5-7	6		
98	<i>coronària</i>	(Garland or Poppy)	div.	1	...	6		
99	— coccinea	scarlet do.	s.	6		
100	— præcox	(new Russian do.)	div.	...	4-6	6		

<i>A — indicates a variety. () That the word is not literally translated, or is superadded (See page 5).</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price s. d.
No.									
101	Anemone hortensis	garden	13 35	138	hPb†	div.	$\frac{1}{2}$	5-6	6
102	Hudsoniana	Hudson's Bay	w.	1	...	4
103	Pulsatilla	(Pasque-flower)	v.	$\frac{1}{2}$	4-5	4
104	Anoda Dilleniana	Dillenius's	16 48	117	hA	b.	$\frac{1}{2}$	7-8	3
105	Anomatheca cruenta	blood-red	3 25	106	fPb	r.	1	7-9	4
106	Antirrhinum majus album	white	14 59	144	hP†	w.	2	6-10	3
107	majus bicolor	two-coloured	w. & r.	3
108	— caryophylloides	Carnation	stri.	3
109	— coccineum	scarlet	s.	3
110	— flavum	yellow	y.	3
111	— nanum novum	new dwarf	w. & r.	$\frac{1}{2}$...	6
112	— pictum	painted	y. & s.	2	...	3
113	— striatum novum	new striped	div.	6
114	— Youngii	Mr. Young's	var.	3
115	Nos. 106 to 114	div.	div.	...	2 6
116	Aquilegia canadensis	Canadian	13 30	138	...	r. & o.	$\frac{1}{2}$	5-7	4
117	formosa	beautiful	o. & y.	4
118	fragrans	fragrant	y. va.	4
119	glandulosa	glandular	b. & w.	4
120	hybrida	hybrid	w. & b.	4
121	leptoceras	(slender-spurred)	st. v.	4
122	sibirica fl. pl.	double Siberian	b.	4
123	Skinneri	Mr. Skinner's	s. & g.	4
124	Willdenovii	Willdenow's	b. & w.	4
125	Arctotis breviscapa	narrow-scaped	19 56	85	hhA	o. & br.	$\frac{1}{2}$	7-8	6
126	grandiflora	large-flowered	f B	y.	$\frac{1}{2}$	5-6	1 0
127	Argemone grandiflora	large-flowered	13 25	127	hA	w.	2	7-8	4
128	mexicana	Mexican	y.	3
129	Aristea cyanea	sky-blue	3 ...	110	fPb	b.	1	5-7	6
130	Asclepias curassavica	Curassao	5 26	69	sP	s.	$\frac{1}{2}$	6-8	4
131	tuberosa	tuberous	hPb	o.	2	7-8	4
132	Asphodelus luteus	yellow	6 25	110	hP	y.	3	5-7	3
133	Aster tenellus*	slender	19 54	85	hB†	b. & y.	$\frac{1}{2}$	6-8	3
134	Azalea pontica, pl. var.	Pontic, mixed	5 25	94	hS	div.	3	5-7	6
135	indica	Indian	gS	6
136	Bartonia aurea	golden	12 ...	113	hA	y.	$\frac{1}{2}$	7-8	3
137	Begonia insignis	distinguished	21 48	72	sS	pk.	3	6-8	6
138	zinnabarina	vermillion	sPb	ver.	6
139	Bellis perennis, fl. pl.	(double Daisy)	19 54	85	hP†	div.	$\frac{1}{2}$	4-8	1 0
140	Bignonia radicans major**	large-flowered	14 59	73	hS	o.	10	7-9	6
141	sp. superba**	superb	sS	p.	1 0
142	Blumenbachia insignis	beautiful	18 48	113	hA	w.	1	7-8	3
143	Brachycome iberidifolia	Iberis-leaved	19 54	85	hhA	b.	$\frac{1}{2}$...	4
144	iberidifolia alba	white do.	w.	4
145	Brodiaea congesta	(crowded-flowered)	3 25	110	fPb	b.	1	...	4
146	Browallia elata	tall	14 59	144	gA	...	2	6-8	4
147	elata alba	white	w.	4
148	depressa	spreading	l. b.	1	...	4
149	Nos. 146 to 148	div.	2	...	1 0
150	Brunia nodiflora	knot-flowered	5 25	75	gS	w.	6	...	1 0
151	Buddleia Lindleyana	Dr. Lindley's	4 ...	144	...	d. v.	...	7-9	1 0
152	Cacalia coccinea	scarlet	19 53	85	hhA	s.	$\frac{1}{2}$	7-8	3
153	coccinea aurea	yellow	hP†	y.	3
154	Cactus, sp. ex Texas	Texian species	12 25	76	sS	div.	2	...	1 0
155	Cajanus flavus	yellow	17 45	109	...	y.	4	...	6
156	Calampelis scabra**	rough (poddled)	14 59	73	gP†	o.	6	6-9	3
157	longiflora**	long-flowered	6
158	miniata**	vermillion	ver.	6
159	Calandrinia discolor (elegans)	elegant	11 25	135	hhP†	ro.	$\frac{1}{2}$	7-8	3
160	grandiflora	large-flowered	p.	3
161	Lindleyana	Dr. Lindley's	bA	r.	1	6-7	3
162	speciosa	showy	p.	3
163	umbellata*	umbelled	hhP†	...	$\frac{1}{2}$	6-8	6
164	Calceolaria pinnata	pinnate	2 ...	144	hhA	y.	$\frac{1}{2}$	7-8	3
165	hybrida	hybrid	gP	div.	2	6-9	1 0
166	— punctata superba	superb spotted	2 6
167	— — —	(small packet)	1 0
168	sp. suberecta	suberect	fP	y.	$\frac{1}{2}$...	6

<i>A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)</i>		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
169	<i>Calceolaria</i> , sp. ex California	2 25 144	fP	y.	1½	6-9	s. d.	6
170	sp. ex Peru	6
171	<i>Callichroa platyglossa</i>	19 56 85	hA	...	1	7-8	3	3
172	<i>Calliopsis bicolor</i>	... 55	y. & r.	2	7-9	3	3
173	— <i>hicolor atrosanguinea</i>	d. r.	3	3
174	— <i>Ackermannii</i>	o. & r.	3	3
175	— <i>grandiflora</i>	y. & r.	3	3
176	— <i>marmorata</i>	spot	3	3
177	— <i>nigra speciosa</i>	d. r.	3	3
178	— <i>semi-plena</i>	div.	6	6
179	— var. <i>nana nova</i>	y. & r.	1	...	6	6
180	<i>Drummondii</i>	y. & d.	3	3
181	— <i>majior nova</i>	6	6
182	Nos. 172 to 181 incl.	div.	div.	...	3 0	...
183	<i>Calliopsis Atkinsoniana</i>	...	hP†	y. & lrr.	3	...	3	3
184	<i>Campaula americana</i>	5 25 77	...	b.	2	...	3	3
185	— <i>carpathica</i>	l. h.	¾	6-8	3	3
186	— <i>alba</i>	w.	3	3
187	— <i>grandiflora</i>	h.	1	...	6	6
188	— <i>grandis</i>	l. h.	2	...	3	3
189	— <i>littoralis</i>	3	3
190	— <i>nobilis</i>	p.	1½	...	4	4
191	— <i>alba</i>	w.	4	4
192	— <i>pulcherrima</i>	h.	4	4
193	— <i>pusilla</i>	1	...	4	4
194	— <i>pyramidalis</i>	...	hP	...	3	...	3	3
195	— <i>alba</i>	w.	3	3
196	— <i>speciosa</i>	...	hP†	p.	2	...	4	4
197	— <i>stricta</i>	h.	1½	...	3	3
198	— <i>Trachelium fl. pl.</i>	2½	...	4	4
199	— <i>alba plena</i>	w.	4	4
200	— <i>Lorei</i>	...	hA	p.	1	...	3	3
201	— <i>albidiflora</i>	w.	3	3
202	Nos. 184 to 201 incl.	...	div.	div.	div.	div.	4 0	...
203	<i>Canna floribunda</i>	1 ... 118	sPb	r.	4	1-12	4	4
204	— <i>gigantea</i>	r. & y.	6	...	4	4
205	— <i>indica</i>	div.	3	...	4	4
206	— <i>lutea et aurantiaca</i>	y. & o.	4	4
207	<i>Cardiospermum halicacabum</i>	8 28 161	sA	w. & g.	5	6-8	4	4
208	<i>Carthamus tinctorius</i>	19 53 85	hA	o.	3	7-8	3	3
209	<i>Cassia corymbosa</i>	10 25 109	gS	y.	...	5-7	4	4
210	— <i>grandiflora</i>	...	sS	6	6
211	— <i>homophylla</i>	6	6
212	— <i>torosa</i>	6	...	6	6
213	<i>Casuarina</i> sp. <i>eximia</i>	21 36 66	gT	ap.	10	3-8	6	6
214	<i>Catananche lutea</i>	19 52 85	hA	y.	1	7-8	3	3
215	— <i>cærulea</i>	...	hP†	b.	2	...	3	3
216	— <i>bicolor</i>	w. & b.	3	3
217	<i>Celsia crética</i>	14 59 144	hB†	y.	3	...	3	3
218	<i>Cœnia turbinata</i>	19 54 85	hA	w.	1	...	4	4
219	— <i>turbinata formosa</i>	y.	4	4
220	<i>Centaurea americana</i>	... 55 ...	gA	r.	2½	8-10	6	6
221	— <i>atropurpurea</i>	...	hP†	d. p.	1½	7-8	3	3
222	— <i>Cuprina</i>	...	hA	fish	2	...	3	3
223	— <i>depressa*</i>	h.	1	...	3	3
224	— <i>glastifolia</i>	...	hP†	y.	3	...	3	3
225	— <i>Lippii</i>	...	hA	l. p.	1½	...	3	3
226	— <i>orientalis</i>	...	hP†	r. & y.	3	3
227	<i>Centranthus macrosiphon</i>	1 25 156	hA	r.	¾	7-9	3	3
228	— <i>macrosiphon carnosus</i>	fish	3	3
229	<i>Ceratonia siliqua</i>	23 52 109	gT	r. & y.	12	8-10	6	6
230	<i>Chenostoma fastigiatum*</i>	14 59 144	hA	ro.	¾	7-8	4	4
231	— <i>polyanthum*</i>	li.	4	4
232	— <i>viscosum*</i>	pk.	4	4
233	<i>Chelone barbata</i>	...	hP†	s.	2	...	4	4
234	— <i>Rodigasii</i>	r.	4	4
235	<i>Chironia frutescens</i>	5 25 100	gS	...	1½	...	4	4
236	<i>Chorozema Chaudleri?</i>	10 ... 109	2	6-8	6	6

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.			L.	O.	N. O.	H. & Dur.	Col. of fl.	Hght.	M. of Flow.	Price.
			L.	O.	N. O.	H. & Dur.	Col. of fl.	feet	s. d.	
237	Choroze ^m a cordata	heart-shaped	10	25	109	gS	r.	2	6-8	6
238	macrophylla	large-leaved	6
239	varia elegans	elegant	6
240	Chrysanthemum indicum	Indian	19	54	85	hP	div.	3	9-12	1 0
241	Chrysanthus cynosuroides	Cynosurus-like	3	26	103	hA	ap.	$\frac{2}{3}$	7-8	3
242	Cincaria lobata	lobed	19	54	85	hA	y.	2	...	6
243	crucuta fl. pl.	(splendid mixed)	gS	div.	...	5-7	1 0
244	— caerulea	blue	b.	1 0
245	— — alba	blue and white	b. & w.	1 0
246	— rubra	red	r.	1 0
247	— — alba	red and white	r. & w.	1 0
248	Cirsium pulcherrimum	handsomest	...	55	...	hP	p.	4	7-8	4
249	Cistus albidus	(white-leaved)	13	25	82	fP	l. p.	2	6-8	4
250	alpinus	alpine	4
251	Citrus myrtifolius	myrtle-leaved	18	48	70	gS	w.	3	5-7	6
252	Cladanthus arabicus	Arabian	19	54	85	hA	y.	1	7-8	3
253	Clarkia elegans	elegant	8	25	125	...	li.	$1\frac{1}{2}$	6-8	3
254	elegans flore-pleno	double	3
255	— rosea	rose	ro.	3
256	— — flore-pleno	double rose	3
257	— violacea	violet	v.	3
258	neriifolia	Nerium-leaved	pk.	1	...	3
259	pulehella	pretty	ro.	$1\frac{1}{2}$...	3
260	— alba	white	w.	3
261	— fimbriata	fringed	3
262	— grandiflora	large-flowered	r.	3
263	— — alba	white do.	w.	3
264	Nos. 253 to 263		div.	div.	...	2 6
265	Clématis flammula**	flame	13	35	138	hS	w.	15	6-9	3
266	sp. Texas, fragrans**	fragrant	10	...	1 0
267	Clème speciosa	showy	15	61	78	hhA	ro.	2	7-8	4
268	Clanthus punicens	erimson	17	45	109	hS	cr.	6	7-9	6
269	Clintonia elegans	elegant	16	40	114	hhA	b.	1	7-8	3
270	pulehella	pretty	3 col.	6
271	— alba	white	w.	6
272	Clitória Ternatea**	(sky-blue)	17	45	109	sS	b.	4	...	1 0
273	Cobaea scandens**	climbing	5	25	83	gS	p.	30	6-9	6
274	Collinsia Bartsiaefolia	Bartsia-leaved	14	59	144	hA	d. p.	1	6-8	1 0
275	bicolor	two-coloured	pk. & w.	$1\frac{1}{2}$...	3
276	— atrorubens	dark red	r. & w.	3
277	— heterophylla	various-leaved	p. & w.	3
278	grandiflora	large-flowered	pk. & b.	1	...	3
279	multicolor	many-coloured	div.	$1\frac{1}{2}$...	1 0
280	verna	vernal	p. & b.	1	...	3
281	Nos. 274 to 280		div.	div.	...	2 6
282	Collomia coccinea	scarlet	5	25	132	...	s.	1	...	3
283	Colutea cruenta	blood-red	17	45	109	hS	...	4	9-10	6
284	Commelina celestis	sky-blue	3	25	84	fPb†	b.	$1\frac{1}{2}$	7-8	4
285	celestis alba	white	w.	4
286	— variegata	variegated	var.	1 0
287	Convallaria majalis	(Lily of the Valley)	6	...	110	hPb	w.	$\frac{1}{2}$	5-8	3
288	Coronilla glauca	glaucous	17	45	109	gS	y.	2	...	3
289	Corydalis aurca	golden	...	41	99	hB†	...	1	5-7	3
290	Cosmanthus fimbriatus	fringed	5	25	104	hA	b. & w.	$\frac{1}{2}$	6-8	3
291	Cosma bipinnata	bipinnate	19	55	85	hhA	p.	2	8-10	3
292	grandiflora	large-flowered	4
293	Cosmidium filiforme	fine-leaved	w.	...	7-9	4
294	Crategus, sp. ex Texas	Texian species	12	27	140	hS	...	10	5-8	6
295	Crocus vernus	vernal	3	25	106	hPb	div.	$\frac{1}{2}$	3-4	4
296	iridiflorus	Iris-flowered	4-5	6
297	Crotalaria turgida	turgid	16	45	109	gS	y.	3	6-8	6
298	Crucianella stylosa	long-styled	4	25	149	hP†	pk.	1	...	3
299	Cuplea lanceolata	lance-leaved	11	...	115	fB†	p.	$1\frac{1}{2}$	7-9	4
300	platycentra	broad-centred	gS†	r. & y.	$1\frac{1}{2}$...	4
301	miniata	vermilion	ver.	$1\frac{1}{2}$...	4
302	— coccinea	scarlet	sc.	4
303	— purpurea	purple, &c.	div.	4
304	silanoides	Silene-like	hA	flsh.	4

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		Li.	Li.	Li.	Li.	Li.	Li.	Li.	Li.	s. d.
305	<i>Cúpea strigillósa</i>	11	25	115	fs†	s&y.	1½	7-9	4	
306	<i>viscosissima</i>	hA	p.	4	
307	<i>Cyclamen persicum</i>	5	...	136	gPb†	r.	½	3-5	6	
308	<i>Cyclolóbium sp. nóva**</i>	hS	1	0
309	<i>Cýtisus argenteus</i>	16	45	109	hS	y.	3	5-7	3	
310	<i>racemósus</i>	3	
311	<i>Dahlia glabrátá</i>	19	54	85	hA	p.	1½	7-9	3	
312	<i>superflua</i>	fPb†	div.	div.	7-10	6	
313	<i>Datura ceratocaula</i>	5	25	148	hA	w.&ro.	3	7-8	3	
314	<i>fastuósa</i>	p.	...	2	...	4	
315	<i>— alba</i>	w.	4	
316	<i>Daubentonia Tripetiána</i>	17	45	109	gS	s.&o.	6	8-10	6	
317	<i>Delphinium amœnum</i>	13	28	138	hP†	l.b.	2	7-8	3	
318	<i>azárcum</i>	b.	3	
319	<i>Barlowii</i>	4	
320	<i>mesoleucum</i>	w.&b.	3	...	4	
321	<i>chinense</i>	b.	1½	3	
322	<i>— album semiplénnum</i>	w.	4	
323	<i>— pictum</i>	l.b.	3	
324	<i>Clusii</i>	b.	3	3	
325	<i>commutatum</i>	2	3	
326	<i>dictyocarpum</i>	3	
327	<i>Donkalerii</i>	1½	6	
328	<i>clátum</i>	3	3	
329	<i>— flore pléno</i>	l. b.	6	
330	<i>élegans</i>	1½	3	
331	<i>— album plénum</i>	w.	4	
332	<i>grandiflórum</i>	b.	3	
333	<i>intermediúum</i>	3	3	
334	<i>peregrinúum</i>	hA	...	2	...	3	
335	<i>punicum</i>	hP†	cr.	4	
336	<i>splendídum</i>	b.	4	
337	<i>tricolor</i>	var.	4	
338	<i>vólibile**</i>	b.	3	4	
339	<i>Nos. 317 to 338</i>	div.	div.	6	0
340	<i>Dianthus atrorubens*</i>	10	26	147	...	s.	1	6-9	4	
341	<i>atrorubens violáccus*</i>	v.	4	
342	<i>barbátus</i>	hP	div.	1½	...	3	
343	<i>— coccíneus</i>	s.	4	
344	<i>— flore-pléno</i>	div.	4	
345	<i>— striátus</i>	str.	4	
346	<i>Carthusianórum</i>	hP†	r.	2	
347	<i>Caryophyllus</i>	hP	div.	2	...	3	
348	<i>— flore-pléno</i>	6	
349	<i>— — bicolor</i>	2	6
350	<i>— — variegátus</i>	2	6
351	<i>— punctátus</i>	spot.	3	
352	<i>— — flore-pléno</i>	6	
353	<i>— — albus</i>	2	6
354	<i>— — flavus</i>	2	6
355	<i>chinensis 20 var.*</i>	hB†	div.	4	
356	<i>— flore-pléno*</i>	4	
357	<i>— — albus*</i>	w.	4	
358	<i>— — imperiális*</i>	div.	6	
359	<i>— — fimbriátus</i>	6	
360	<i>— — nanus nóvus</i>	cop.	½	...	6	
361	<i>cruentus</i>	hP†	d. r.	1	...	4	
362	<i>deltoides</i>	l. r.	¾	...	3	
363	<i>— albus</i>	w.	3	
364	<i>Garnieriánus</i>	div.	4	
365	<i>giganteus</i>	hP	r.	3	...	3	
366	<i>hispánicus*</i>	hP†	div.	1	...	3	
367	<i>— splendens*</i>	s.	4	
368	<i>japónicus</i>	4	
369	<i>latifólius</i>	div.	3	
370	<i>moscháthus</i>	hP	w.&p.	3	
371	<i>— flore-pléno</i>	1	0
372	<i>plumárius</i>	div.	1½	...	3	

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		Cl.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Hght.	M. of	Price.
												feet	Flow.	s. d.
373	<i>Dianthus pulchellus</i>	<i>pretty</i>	10	26	147	hP+	div.					1	6-9	3
374	— <i>superbus</i>	<i>superb</i>	li.					1½	...	3
375	— <i>novus</i>	<i>new do.</i>	div.					6
376	Nos. 355 to 375		div.					div.	...	6 0
377	<i>Dichronena leucocéphala</i>	<i>white-headed</i>	3	26	103	sA	ap.					4	6-8	6
378	<i>Didiscus cæruleus</i>	(<i>blue Traehymène</i>)	5	...	154	hA	b.					2	7-8	4
379	<i>Digitalis aurea</i>	<i>golden</i>	14	59	144	hP+	y.					1½	6-9	3
380	<i>Buxbaumii</i>	<i>Buxbaum's</i>	r. br.					3
381	— <i>ferruginea</i>	<i>ferruginous</i>	bff.					3
382	— <i>gigantea</i>	<i>gigantic</i>					3½	...	3
383	<i>grandiflora</i>	<i>large-flowered</i>	y.					1½	...	3
384	— <i>purpurea</i>	<i>purple</i>	p.					3	...	3
385	— <i>alba</i>	<i>white</i>	w.					3
386	— <i>punctata superba</i>	<i>spotted</i>	spot.					3
387	<i>tomentosa</i>	<i>woolly</i>	r.					3
388	— <i>Winterli</i>	<i>Winter's</i>	br.					1½	...	3
389	<i>Diosma alba</i>	<i>white</i>	5	25	141	gS	w.					2½	5-7	6
390	<i>Disphènia arborea?</i>	<i>tree (Fern)</i>	24	62	97	sT	ap.					12	...	2 6
391	<i>Dodecathcon Meadia</i>	<i>Meadia</i>	5	25	136	hP+	div.					1	6-8	6
392	<i>Dólchos lignosus</i>	<i>lignous</i>	17	45	109	gS	p.					8	7-9	4
393	— <i>racemosus</i>	<i>bunch-flowered</i>	r.					4
394	<i>Dracocéphalum superbum</i>	<i>superb</i>	14	58	108	hP+	b.					2	...	4
395	— <i>canariense</i>	(<i>Balm of Gilead</i>)	fP+					r. & p.	...	4
396	<i>Dracòpis amplexicaulis</i>	<i>stem-elsping</i>	19	55	85	hA	y. & br.					...	7-8	3
397	<i>Echium glaucophyllum</i>	<i>glaucous-leaved</i>	5	25	74	gS	v.					6
398	— <i>grandiflorum</i>	<i>large-flowered</i>	b.					3
399	<i>Edwardsia grandiflora</i>	<i>large-flowered</i>	10	...	109	gS	y.					10	6-8	6
400	<i>Elsholtzia cristata</i>	<i>crested</i>	14	58	108	hA	pk.					1	7-8	3
401	<i>Epäcris elegantissima</i>	<i>most elegant</i>	5	25	93	gS	...					2	5-7	1 0
402	— <i>grandiflora</i>	<i>large-flowered</i>					3	1-6	1 0
403	— <i>hybrida superba</i>	<i>superb</i>	div.					div.	div.	2 6
404	<i>Ephedra altissima</i>	<i>tallest</i>	22	49	86	gS	ap.					20	7-9	6
405	<i>Eragrostis elegans*</i>	<i>elegant</i>	3	26	103	hA	...					1	7-8	3
406	<i>Eremurus spectabilis</i>	<i>showy</i>	6	25	110	hPb	y.					2	5-7	6
407	<i>Erica capitata</i>	<i>headed</i>	8	...	94	gS	...					1½	...	6
408	— <i>coccinea</i>	<i>scarlet</i>	s.					...	1-12	6
409	— <i>conferta</i>	<i>cramped</i>	w.					...	2-9	6
410	— <i>margaritacea</i>	<i>pearly</i>	5-9	6
411	— <i>nigrita</i>	<i>blackened</i>					1	4-6	6
412	— <i>persoluta</i>	(<i>Garland</i>)	p.					1½	2-5	6
413	<i>Plukenetii</i>	<i>Plukenet's</i>	r.					1	5-7	6
414	— <i>tubiflora</i>	<i>tube-flowered</i>	pk.					2	...	6
415	<i>Erinus alpinus</i>	<i>alpine</i>	14	59	144	hP+	li.					½	4-6	3
416	<i>Eryngium giganteum</i>	<i>gigantic</i>	5	26	154	hP	r.					2	7-8	6
417	<i>Erysimum Peroffskyänum</i>	<i>Peroffsky's</i>	15	61	89	hA	o.					1	6-8	3
418	<i>Erythrina caffra</i>	<i>Caffrarian</i>	17	45	109	gS	s.					6	7-10	1 0
419	<i>Eschscholtzia californica</i>	<i>Californian</i>	13	29	127	hP+	y.					1½	7-8	3
420	— <i>compacta</i>	<i>compact</i>					1	...	3
421	— <i>cræca</i>	<i>orange</i>	o.					1½	...	3
422	— <i>alba</i>	<i>white</i>	w.					3
423	<i>Ethulia corymbosa</i>	<i>bunch-flowered</i>	19	53	85	hA	p.					1½	...	3
424	<i>Eucharidium concinnum*</i>	<i>neat</i>	8	25	125	hA	p.					1	6-8	3
425	— <i>grandiflorum*</i>	<i>large-flowered</i>	3
426	<i>Euphorbia variegata</i>	<i>variegated</i>	11	28	95	hA	va. lf.					...	7-8	6
427	<i>Euphrasia linifolia</i>	<i>flax-leaved</i>	14	59	144	hA	p.					...	7-9	3
428	<i>Eutoca multiflora</i>	<i>many-flowered</i>	5	25	104	...	lav.					...	6-7	3
429	— <i>viscida</i>	<i>viscid</i>	b.					3
430	— <i>Wrangeliäna</i>	<i>Dr. Wrangel's</i>	li.					3
431	<i>Francia souchifolia</i>	<i>Sonchus-leaved</i>	8	29	98	hP	ro. p.					2½	7-9	6
432	<i>Fritillaria meleagris</i>	<i>Guinea-fowl</i>	6	25	110	hPb	div.					1	4-6	6
433	<i>Fuchsia pl. sp. et var.</i>	(<i>splendid mixed</i>)	8	...	125	gS	...					div.	6-9	1 0
434	<i>Gaillardia bicolor</i>	<i>two-coloured</i>	19	55	85	hP+	y. & br.					2	7-9	4
435	— <i>picta</i>	<i>painted</i>	hA					y. & s.	...	4
436	— <i>coccinea</i>	<i>scarlet</i>	s.					4
437	— <i>elegantissima</i>	<i>most elegant</i>	y. & s.					4
438	— <i>Josephus</i>	(<i>orange-scarlet</i>)	o. & s.					4
439	— <i>nana</i>	<i>dwarf</i>	s.					4
440	— <i>pulchella</i>	<i>pretty</i>	y. & s.					4

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L. O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
441	Gaillardia picta splendissima	19 55	85	hA	var.	2	7-9	4
442	Richardsoni	hP+	o.	4
443	Wellsiana	y. & r.	4
444	Gardënia Rothmanni	5 25	81	gS	l. y.	8	6-8	1 0
445	Gardëquia betonicoides	14 58	108	hP+	pk.	3	9-10	4
446	Gaura Lindheimeri	8 25	125	hhA	w. & r.	2	7-8	4
447	Gazania rigens	19 55	85	fS	y.	1	7-9	1 0
448	Genista sp. formosa	16 45	109	gS	...	2	5-7	6
449	Geniàna acaulis	5 26	100	hP+	b.	1	4-7	4
450	Geranium Wallichianum	16 42	101	...	r.	1	5-6	6
451	Gesneria albiflora	14 59	102	sPb	w.	1½	6-9	1 0
452	albiflora elegans	ro.	1 0
453	Bethmanni	l. s.	1 0
454	splendens	s.	1 0
455	Gèum chilense (coccineum)	12 35	140	hP+	4
456	chilense flore-pleno	4
457	— atrosanguineum	d. s.	4
458	— superbum	cr.	4
459	montanum	y.	4
460	nivale	w.	4
461	Quellyon	s.	4
462	Gilia nivalis*	5 25	132	hA	w.	1	6-8	3
463	tricolor*	3 col.	3
464	— albo-ærulea*	w. & b.	3
465	— rosea seu splendens*	ro.	3
466	Gladiolus Herbertianus	3 ...	106	fPb	div.	2	7-9	1 0
467	Gloxinia pl. sp. ct var.	14 59	102	sPb	...	1½	6-9	1 0
468	Gnaphalium erassifolium	19 54	85	gS	y.	1	7-10	6
469	modestum	gP	r.	6
470	Godetia bifrons	8 25	125	hA	p. & e.	1½	7-8	3
471	insignis	spot.	3
472	Lindleyana	w. & r.	3
473	purpurea	p.	3
474	Romanzovii	l. p.	3
475	roseo-alba	ro. & w.	3
476	rubicunda	cr.	3
477	tenella	p.	3
478	Willdenovii	3
479	Goodia lotifolia	16 45	109	gS	y.	3	6-8	6
480	Gomphrena sp. superba	5 25	64	gA	o. y.	...	6-9	1 0
481	Grammanthes gentianoides	... 30	88	hhA	s.	1	6-8	6
482	gentianoides crœca	o.	6
483	Griëum tenuifolium	10 30	140	gP	y.	2	5-7	1 0
484	Guaiacum verticale	... 25	160	sS	b.	8	6-9	1 0
485	Gypsophila elegans	... 26	147	hA	w. & p.	1	7-8	3
486	Heimia salicifolia	11 25	142	gS	y.	5	7-9	1 0
487	Helenium tenuifolium	19 54	85	hA	...	2	7-8	3
488	Helianthemum guttatum	13 25	82	1	...	3
489	apenninum	hS	w.	...	5-7	6
490	mutabile	r. & y.	2½	6-8	6
491	Helichrysum maximum	19 54	85	hhA	w.	2½	7-9	4
492	macranthum	l. ro.	2	...	3
493	— album plenum	w.	4
494	— flavum plenum	y.	4
495	robustum	y. & w.	3
496	grandiflorum	gS	w.	2½	6-9	6
497	maritimum	w. & y.	4	...	6
498	sesamoides	p. & w.	2	5-7	6
499	speciosissimum	w.	6	7-9	6
500	Stæhelina	1½	1-12	6
501	Helioiphila arabioïdes*	15 61	89	hhA	b.	1	7-8	4
502	dissecta	l. b.	4
503	trifida	p.	4
504	villôsa	b.	4
505	Heliotropium grandiflorum	5 25	74	gS	li.	2	6-8	4
506	peruvianum	4
507	(Triomphe de Liège)	d. v.	4
508	— Voltairæanum	v.	4

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)			L. Cl.	L.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
509	Helleborus foetidus	foetid	13	35	138	hP	g.	1½	2-5	3
510	Helleborus giganteum	gigantic	5	26	154	bB	w.	10	7-9	3
511	Hibbertia volubilis**	climbing	13	28	91	gS	y.	...	5-9	6
512	Hibiscus africanus	African	16	48	117	hA	y. & br.	1½	7-8	3
513	calisireus	(beautiful)	3
514	Humboldtii	Humboldt's	3
515	Tridnum	(Bladder Kelmia)	3
516	palustris	marsh, 2 var.	hP+	w. & pk.	3	...	6
517	syriacus	Syrian	hS	div.	6	...	3
518	Camerouni	Mr. Cameron's	sS	ro.	3	7-9	6
519	liliflorus	lily-flowered	gS	s.	2	...	6
520	Manihot	Manihot	y.	6
521	mutabilis	variable	sS	w. & p.	6
522	speciosus	showy	gS	s.	6
523	sp. nova ex Texas	Texian species	1 0	
524	Hovea Celsi	Cels'	...	45	109	...	b.	6	6-9	6
525	Humea elegans	elegant	19	53	85	hB+	r.	5	...	6
526	Humulus Lupulus**	(cultivated Hop)	22	40	155	hP	y.	15	...	3
527	Hyacinthus orientalis	oriental	6	25	110	hPb	div.	1	...	4
528	Hymenoxys californica	Californian	19	54	85	hA	y.	1	7-8	3
529	Hypericum elegans	elegant	18	48	105	hP+	...	1½	6-8	4
530	Iberis Tenoreana	Tenore's	15	60	89	...	p.	1	...	4
531	umbellata striata	striped	hA	cr. & r.	...	6-9	6
532	Ilex crocea	saffron	4	29	80	gT	w.	25	5-7	6
533	Impatiens glandulifera	glandular	5	25	71	hA	r.	2½	7-8	3
534	Incarvillea grandiflora**	large-flowered	14	59	73	gS	o.	20	7-9	6
535	Indigofera argentea	silvery	17	45	109	...	p.	2	7-8	6
536	cytisoides	Cytisus-like	r.	3	...	6
537	emarginata	(notch-leaved)	6
538	Ipomaea coccinea**	scarlet	5	25	87	gA	s.	6	6-9	4
539	bona nox**	Good Night?	sA	-w.	12	...	4
540	ficifolia**	fig-leaved	sPb+	p.	6	...	6
541	limbata (Pbarbites)**	bordered	sA	v. & w.	10	2 6	
542	lutcola**	yellow	gA	y.	6	...	4
543	polyanthes**	many-flowered	sS	...	12	...	1 0
544	Quamoclit**	Quamoclit	gA	s.	6	...	4
545	— alba**	white	w.	6
546	rubro-carulea**	(sky-blue)	sA	b.	12	...	1 0
547	tyrianthina**	Tyrian	sPb	p.	1 0
548	sp. ex Arabia**	Arabian	v. & y.	20	...	1 0
549	sp. ex Texas**	Texian species	gP+	p.	10	...	1 0
550	sp. quercifolia**	oak-leaved	w. & r.	1 0
551	barbata**	bearded	hA	p.	3
552	carolina semi-plena**	semi-double	3
553	purpurea Dicksoni**	Mr. Dickson's	b.	3
554	— Burridgeii**	Mr. Burridge's	cr.	3
555	— montana**	mountain	var.	3
556	Nil**	(large blue)	b.	3
557	Ipomopsis Beyrichii	Beyrich's	132	fP	l. s.	2	7-9	4
558	elegans	elegant	s.	1½	...	4
559	picta	painted	2	...	4
560	— aurantiaca	orange	o.	4
561	— superba	superb	s.	4
562	Iris xiphoides	(English Iris)	3	...	106	hPb	div.	1½	6-7	4
563	Isotoma axillaris	axillary	5	...	114	gP+	b.	...	6-8	4
564	Ixia maculata	spotted	3	...	106	fPb	div.	1	...	6
565	Jacquemontia violacea	violet	5	...	87	sP+	v.	8	5-10	1 0
566	Jasminum fruticans	shrubby	2	...	107	hS	y.	4	5-9	3
567	Kaulfussia amelloides*	Amellus-like	19	54	85	hA	b.	½	7-8	3
568	amelloides alba*	white	w.	6
569	— major*	larger	b.	6
570	Kennedyia coccinea**	scarlet	17	45	109	gS	s.	6	7-9	4
571	Marryatta**	Mrs. Marryatt's	4
572	monophylla**	single-leaved	b.	4
573	Lantana speciosa	showy	14	59	157	glP+	s.	2	...	6
574	Lasthenia californica	Californian	19	54	85	hA	y.	1	7-8	3
575	glabrata	smooth	3
576	Lathyrus latifolius**	(Everlasting Pea)	17	45	109	hP+	r.	8	7-9	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)</i>		Col.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	L.	N. O.	H. & Dur.	Col. of Fl.	feet		s. d.
577	<i>Láthyruſ latifóliuſ albuſ**</i>	17	45	109	hPt	w.	8	7-9	3
578	<i>Napoleoniſ**</i>	hA	p.	4
579	<i>rotundifóliuſ**</i>	bPt	s.	1½	...	4
580	<i>Lavatèra arbòrea</i>	16	48	117	hB+	...	6	6-8	4
581	<i>Layſònia inermiſ</i>	8	25	142	sS	w.	10	...	6
582	<i>Lebretònia cœcinea</i>	16	48	117	...	s.	1 0
583	<i>Leptòſiphon denſiflóruſ*</i>	5	25	132	hA	p.	¾	7-8	3
584	<i>androſæccuſ*</i>	div.	1	...	3
585	<i>— albuſ*</i>	w.	3
586	<i>— lilácinuſ*</i>	li.	3
587	<i>Leucadendron argenteum</i>	22	39	137	gS	y.	8	8-9	6
588	<i>plumòſum</i>	4	6-8	6
589	<i>Leucospermum conocarpuſ</i>	4	25	3	...	6
590	<i>Leyeceſtèria formòſa</i>	5	...	79	hS	w. & p.	4	7-8	4
591	<i>Liátriſ eleganſ</i>	19	53	85	hPb	p.	2	7-9	4
592	<i>odoratiſſima</i>	4
593	<i>Ligulària ſpeciòſa</i>	...	56	...	hPt	y.	3
594	<i>Liſium ſpeciòſum</i>	6	25	110	hPb	div.	3	...	1 0
595	<i>Limnantheſ Dougláſii</i>	10	...	111	hA	w. & y.	¾	7-8	3
596	<i>alba</i>	w.	6
597	<i>grandiflóra</i>	w. & y.	3
598	<i>roſea</i>	ro.	6
599	<i>Linària alpina</i>	14	59	144	hPt	b.	1	6-9	3
600	<i>Linum flávuſ</i>	5	30	112	fPt	y.	2	6-8	1 0
601	<i>grandiflórum</i>	hA	b.	1	7-8	3
602	<i>— albuſ</i>	w.	3
603	<i>monógyſnuſ</i>	hPt	...	1½	...	6
604	<i>perenne</i>	b.	3
605	<i>Liſianthuſ Ruſſelliànuſ</i>	...	25	100	gA	p.	3	7-9	6
606	<i>Loàſa aurantiàca**</i>	18	48	113	hhB+	or.	10	6-8	4
607	<i>Herbertii**</i>	hhA	s.	6	7-8	4
608	<i>Pentlandia**</i>	hhB+	6-8	4
609	<i>tricolor</i>	hA	3 col.	1½	7-8	3
610	<i>Lobèlia cœleſtiſ</i>	5	25	114	hhPt	az.	½	6-8	4
611	<i>decumbenſ</i>	b.	4
612	<i>Erinuſ</i>	4
613	<i>— compacta*</i>	¾	...	4
614	<i>— grandiflóra*</i>	d. b.	½	...	4
615	<i>gráciſiſ*</i>	hhA	7-8	3
616	<i>— alba*</i>	w.	3
617	<i>— bicolor*</i>	b. & w.	3
618	<i>— roſea*</i>	ro.	3
619	<i>formòſa</i>	hhPt	b.	¾	6-8	6
620	<i>heterophylla</i>	1½	...	4
621	<i>— roſea</i>	ro.	4
622	<i>ramòſa</i>	d. b.	4
623	<i>— alba novà</i>	w.	1 0
624	<i>— rubra novà</i>	r.	6
625	<i>cardinàliſ</i>	gPt	s.	3	...	6
626	<i>igneà</i>	2	...	6
627	<i>inflàta</i>	hhA	l. b.	1½	7-8	6
628	<i>pinifolia</i>	gPt	v.	...	6-8	6
629	<i>triquètra</i>	b.	1	...	6
630	<i>Nos. 610 to 629</i>	div.	div.	div.	7	0
631	<i>Lophospermum ſcandènſ**</i>	14	59	144	gS+	ro. p.	10	6-9	4
632	<i>— Cliftòni**</i>	ro.	6
633	<i>— Hendersonii**</i>	d. ro.	4
634	<i>— Jackſòni**</i>	spot.	6
635	<i>— punctàtumuſ novuſ**</i>	6
636	<i>Rhodochliton**</i>	p.	6
637	<i>Lophanthuſ violàcenſ</i>	...	58	108	hPt	v.	1½	7-8	4
638	<i>Lòtuſ jacobæuſ</i>	17	45	109	gA	blk.	1	...	4
639	<i>jacobæuſ flávuſ</i>	y.	4
640	<i>Lupinuſ affiniſ</i>	16	hA	b. & w.	...	7-9	3
641	<i>bicolor</i>	3
642	<i>œſculentuſ</i>	l. b.	2	...	6
643	<i>Hartwègii</i>	b. & pk.	1½	...	3
644	<i>leptophylluſ</i>	b. & cr.	2	...	3

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)			Cl.	O.	O.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
			L.	L.	N.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		s. d.
645	Lupinus nova species ex California, Californian		16	45	109	hA		d. b.	2	7-9	6
646	Moritzianus	Moritz's	b.	3
647	mutabilis	variable	var.	3	...	3
648	— Cruickshanksii	Cruickshanks'	3
649	nanus	dwarf	va. b.	1	...	3
650	pubescens	pubescent	hP†		b.	1½	...	3
651	arbores	tree	y.	6	...	3
652	elegans	elegant	v. & ro.	2	...	3
653	grandifolius	large-leaved	p.	3	...	3
654	hybridus flavus	yellow	y.	2	...	3
655	— purpureo-flavus	purple and yellow	p. & y.	3
656	guatemalensis	Guatemala	d. v.	3
657	polyphyllus	many-leaved	b.	3	...	3
658	— albus	white do.	w.	3
659	Lycnis alpina	alpine	10	30	147	pk.	½	7-8	3
660	chalcédonica	(scarlet)	s.	2	...	3
661	— alba	white	w.	3
662	— flore-pleno	double	s.	4
663	flos-Jovis	Jove's Flower	cr.	1½	...	3
664	fulgens	glowing	s.	1	...	6
665	Lythrum roseum superbum	superb rose	11	25	115	r.	1½	...	4
666	Madaria elegans	elegant	19	54	85	hA		y.	2½	...	3
667	Málope trifida	trifid	16	48	117	p.	3
668	grandiflora	large-flowered	3
669	— alba	white	w.	3
670	— purpurea	purple	p.	3
671	Malva miniata	vermilion	hS		ver.	3	...	3
672	mauritiana zebrina	striped	hA		stri.	2	...	3
673	moschata	musk	hP†		fish.	3
674	Mandevillea suaveolens**	fragrant	5	25	68	sS		w.	30	6-9	6
675	Martynia angularis	angular	14	59	146	gA		l. p.	2	7-9	6
676	— caroliniana?	Carolina	va.	4
677	craniflora	(skull-podded)	w.	4
678	fragrans (formosa)	fragrant	d. p.	4
679	lutea	yellow	y. b.	4
680	proboscidea	proboscis	l. b.	4
681	Nos. 675 to 680		div.	2 0
682	Maurandya antirrhiniflora**	Snapdragon-flowered	144	gS†		p.	10	4-9	4
683	Barclayana**	Mr. Barclay's	b. & w.	4
684	— alba**	white	w.	4
685	— atropurpurea**	dark purple	d. p.	6
686	— rosea**	rose-coloured	ro.	4
687	semperflorens**	ever-flowering	li.	4
688	Melanthus major	larger	...	58	141	gS		br.	...	5-7	1 0
689	Melilotus altissima	tallest	17	45	109	hP†		w.	6	7-9	3
690	Mesembryanthemum spectabile	showy	12	27	96	gS		cr.	1	5-8	6
691	glabrum	smooth	hhA		y.	½	7-8	4
692	pomeridianum	afternoon	¾	...	4
693	tricolor (pyropæum)	three-coloured	r.	¾	...	4
694	— album	white	w.	4
695	Mimosa marginata	marginated	23	51	109	gS		p.	3	6-8	4
696	Mimulus cardinalis	(scarlet)	14	59	144	hhP†		s.	2	...	3
697	cardinalis erceus	saffron	o.	4
698	— atrosanguineus	dark red	d. r.	4
699	— Fortuni	Mr. Fortune's	r.	4
700	— Victoria Regina	Queen Victoria	s.	4
701	— roseus	rose-coloured	ro.	4
702	moschatus	musk	y.	½	...	3
703	quinquevulnerus	five-spotted	spot	1	...	3
704	Smithii	Mr. Smith's	y. sp.	4
705	Momordica Balsamina**	Balsam Apple	21	49	90	gA		y.	4	5-8	6
706	Morina longiflora	long-flowered	2	25	92	gP†		ro.	3	6-8	6
707	Myosotis palustris	(Forget-me-not)	5	...	74	hP†		b. & y.	1	5-10	4
708	alpestris	alpine do.	b.	½	...	4
709	azórica	Azorean (beautiful)	fP†		d. b.	1	...	6
710	Muraltia Heisteria	Heister's	17	43	133	gP		p.	6	5-7	6
711	Myrtus communis	common	12	25	120	gS		w.	...	6-8	6
712	Nelumbium speciosum	showy (Aqualie)	13	35	122	sP		pk.	trai	...	1 0

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
713	Nemësia diversifolia*	14	59	144	hA	var.	var.	feet	s.d.	
714	floribunda*	w. & y.	7-9	4
715	versicolor*	var.	4
716	Nemóphila atomaria*	5	25	104	hA	w. sp.	6-8	3
717	atomaria cœlestis*	b. sp.	3
718	aurita	p.	...	1½	...	3
719	— alba oculata novâ	w. & p.	6
720	discoïdalis*	blk.	3
721	insignis*	b.	3
722	— alba*	w.	3
723	— grandiflora*	b.	3
724	maculata*	w. & v.	3
725	phacelioides	hP†	v.	1	7-8	...	3
726	Nos. 716 to 725	div.	div.	div.	2	6
727	Nërium Oleander, fl. pl.	68	gS	r.	8	6-9	...	6
728	Nigella hispânica	13	30	138	hA	b.	1	7-8	...	3
729	Nolana atriplicifolia	5	25	148	...	b.w & y.	3
730	— alba grandiflora	w.	6
731	paradoxa	b. w. y.	3
732	prostrata	b.	trai	3
733	Nõnea ròsea	74	...	ro.	1½	3
734	Nyctérinia capensis	14	59	144	fS†	r.	1	7-10	...	4
735	Lychnida	l. ro.	4
736	selaginoides	w.	4
737	Nymphaea cœrulea	13	25	122	sP	b.	trai	6-9	...	6
738	Enothëra acaulis	8	...	125	hP†	w.	...	7-8	...	4
739	concinna	hA	l. ro.	½	3
740	Drummondii	fP†	y.	1	7-9	...	4
741	macrocarpa	2	4
742	ròsea	ro.	1½	7-8	...	3
743	Sellowii	y.	1	6-8	...	3
744	speciosa	hhA	w.	...	7-8	...	4
745	taraxacifolia	hP†	...	½	4
746	tetraptera	hA	...	1	3
747	Oxàlis ròsea	10	30	126	fPb	ro.	6
748	rubella	l. r.	3
749	Oxyra chrysanthemoides	19	54	85	hA	y. & w.	6
750	Pæonia Moutan, pl. var.	13	26	138	hS	div.	3	5-7	1 0	
751	Panerätium illyricum	6	25	65	hPb	w.	1½	5-6	...	6
752	Papàver amœnum	13	...	127	hA	s. & w.	1	7-8	...	4
753	crœcum	hP†	o.	1½	3
754	nudicaule	y.	3
755	orientale	r.	2	3
756	puleherrimum	s.	3	4
757	Paspalum elegans	3	26	103	...	ap.	1½	3
758	Passiflora adiantifolia**	16	40	128	sS	o.	20	6-9	...	6
759	alba (Mayana)**	gS	w.	6
760	cœrulea**	hS	b.	6
761	edulis**	gS	w.	6
762	Pelargónium hybridum	...	42	101	gS	div.	3	...	1 0	
763	hybridum novum	1 0	
764	zonale	s.	6
765	— globosum, novum	2	...	1 0	
766	— nanum	1	6
767	— ròseum	ro.	2	6
768	Pennisetum scòsum	3	25	103	hA	ap.	2	7-8	...	3
769	Pentstemon campanulatum	14	59	144	hP†	b.	...	7-9	...	3
770	Bradburii	r.	3
771	digitalis	w.	3
772	— ròseum	ro.	4
773	Hartwegii(gentianoides)	r.	4
774	— albina	w.	4
775	— cœcineum	s.	4
776	— M'Eweni	s. & w.	4
777	Murrayanum	s.	1 0	
778	ovatum	b.	3
779	proœrum	p.	3
780	Richardsoni	s.	4

A — indicates a variety. () That the word is not literally translated, or is superadded (See page 5).			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
781	Pentstemon idseum	rose-coloured	14	59	144	hP†	ro.	2	7-9	3
782	speciosum	showy	b.	3
783	Petunia phœnicea	purple	5	45	148	hhP†	p.	...	6-9	6
784	phœnicea rubra	red	r.	4
785	— grandiflora	large-flowered	p.	4
786	— — alba	white	w.	4
787	— — atropurpurea	dark purple	d. p.	4
788	— — rosca	rose-coloured	ro.	4
789	— striatiflora	striped-flowered	stri.	4
790	— viridicincta	green-bordered	div.	1 0
791	nyctaginiflora	(sweet-scented)	w.	3
792	Nos. 783 to 791		div.	3 0
793	Phacelia conspicua	conspicuous	...	25	104	hA	b.	...	7-8	3
794	Phlox Drummondii	Mr. Drummond's	132	hhA	div.	1½	7-10	6
795	Drummondii alba	white	w.	6
796	— coccinea	scarlet	s.	6
797	— Leopoldiniæna	King of the Belgians	cr. & w.	6
798	— oculata alba	white-eyed	r. & w.	6
799	— — purpurea	purple-eyed	w. & p.	6
800	hybrida superba	superb hybrid	hP†	div.	2	...	6
801	Physolobium carinatum**	keel-shaped	10	...	109	gS	s.	4	6-8	6
802	Physostegia speciosa	showy	14	58	108	hP†	pk.	2	...	3
803	Phytolacca decandra	(ten-stamened)	10	33	129	...	p.	5	7-8	3
804	Pimæla lanata	woolly	2	25	151	gS	w.	6	5-7	1 0
805	Pittosporum viridiflorum	green-flowered	5	...	130	...	g.	...	5-6	6
806	undulatum	undulated	w. & y.	4	2-6	6
807	Platystemon californicus	Californian	13	...	127	hA	y.	1	6-9	6
808	Platystigma linearis	linear	fP†	...	½	7-8	6
809	Podalyria sericea	silky	10	...	109	gS	p.	6	1-9	6
810	styracifolia	Styrax-leaved	pk.	...	5-7	6
811	Podolepis auriculata	auriculated	19	54	85	hA	sul.	1	7-8	4
812	chrysanthia*	yellow-flowered	y.	4
813	gracilis*	stender	pk.	4
814	— alba*	white	w.	4
815	rugata	wrinkled-sealed	l. y.	4
816	Podotheca capitata	headed	hhA	y.	2	...	4
817	Poinciana Gilliesii	Mr. Gillies's	10	25	109	gS	6-9	6
818	— pulcherrima	handsomest	sS	r. & y.	6
819	Polemonium pulcherrimum	prettiest	5	...	132	hP†	b.	¾	7-8	6
820	Portulaca Thellusoni	Mr. Thelluson's	11	...	135	hhA	cr.	¼	6-8	4
821	Thellusoni alba	white, new	w.	6
822	— coccinea	scarlet, new	s.	6
823	— rosca	rosy, new	ro.	6
824	— striatiflora	striped-flowered	w. & r.	4
825	— sulphurea	sulphur, new	snl.	6
826	— Thorburni	Thorburn's	y. & r.	4
827	— splendens	splendid	ro. p.	4
828	— — grandiflora	large-flowered	6
829	Nos. 820 to 828		div.	¼	...	3 6
830	Potentilla formosa	beautiful	12	35	140	hP†	p.	1	...	3
831	atrosanguinea	dark-red	d. r.	3
832	Hopwoodiana	Mr. Hopwood's	l. ro.	3
833	— rosca	rose-coloured	ro.	3
834	Mackayana	Mr. Mackay's	y. & pk.	3
835	pulcherrima	most beautiful	y.	3
836	rupestris	rock	w.	3
837	Thomasi	Thomas's	y.	3
838	Prímula cortusoides	Cortusa-like	5	25	136	...	p.	¾	6-8	6
839	farinosa	(mealy)	r.	¼	...	6
840	pedunculata	pedunculated	li.	6
841	sinensis	Chinese	gP†	r. & w.	1	5-7	6
842	— fimbriata, pl. var.	— fringed, mixed	div.	1 0
843	— — alba	— white	w.	1 0
844	— — rosca	— rose-coloured	ro.	1 0
845	— variegata	— variegated	var.	1 0
846	Prôtea, pl. sp.	(5 fine species)	4	...	137	gS	div.	div.	div.	2 6
847	Rafnia triflora	three-flowered	16	45	109	...	p.	2	6-7	6
848	Ranunculus asiaticus	(Persian)	13	35	138	hPb	div.	1	...	6

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		Li.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		Li.	O.	N. O.	H. & Dur.	Col. of Fl.	feet		s. d.
849	Rhodanthe Manglésii*			85	hhA	ro.	1	7-8	6
850	Rhododendron hybridum			94	hS	div.	div.	5-7	1 0
851	arborescens album			...	hT	w.	20	6-8	6
852	— elegantissimum			r.	6
853	Roëlla ciliata	5	...	77	gS	p. & w.	1	6-10	6
854	Rosa alpina pimpinellifolia	12	35	140	hS	div.	3	div.	4
855	sp. scandens	r. & w.	12	...	4
856	villösa	8	6-9	4
857	Rudbeckia fulgida	19	55	85	hP+	y.	3	7-8	4
858	Salpiglossis sinuata	14	59	148	hhA	div.	1½	7-9	4
859	sinuata alba nova	w.	4
860	— atropurpurea	d. p.	4
861	— azurea	b.	4
862	— coccinea nova	s.	1 0
863	— grandiflora	div.	4
864	— sulphurea splendens	y.	4
865	— striata	stri.	4
866	Nos. 858 to 865	div.	3 0
867	Salvia bicolor	2	25	108	hP+	b. & w.	2	...	3
868	coccinea	hhP+	s.	3
869	patens	b.	6
870	— alba	w.	6
871	splendens	s.	6
872	Sanvitalia procumbens	19	54	85	hhA	y.	tra	7-8	3
873	Saponaria calabrica*	10	26	147	hA	r.	½	6-9	4
874	Saxifraga hypnoides	143	hP+	w.	½	5-7	4
875	sp. ex Texas	r.	1	7-8	6
876	Schinus molle	22	45	150	gS	g.	8	...	6
877	Schistanthe pedunculata	14	59	144	...	br.	1	...	4
878	Schizanthus Grahami	s. & o.	2	...	4
879	Grahami carneus	flesh.	4
880	retusus	r. & o.	4
881	— albus	w. & y.	4
882	gracilis ex Cbili	hA	v.	1½	...	3
883	humilis*	li. & cr.	1	...	3
884	obtusifolius	va.	1¼	...	3
885	pinnatus	l. py.	3
886	— Priestii	w.	3
887	— venustus	d. py.	3
888	porrigens	va.	3
889	Schizopetalon Walkeri*	15	61	89	...	w.	¾	...	6
890	Schötia tamarindifolia	10	25	109	gS	c.	6	...	1 0
891	Scyphanthus elegans**	18	48	113	gP+	y.	4	...	6
892	Sedum caruleum	10	30	88	hA	b.	½	...	3
893	Serruria glomerata	4	25	137	gS	p.	3	6-8	6
894	Silene acaulis	10	28	147	hP+	pk.	1	...	3
895	compacta	hB	...	1	...	3
896	fimbriata	hP+	w.	1½	...	3
897	ornata	p.	1	...	3
898	— alba	w.	3
899	pendula	hA	ro.	3
900	pieta	pk.	3
901	pulchella	s.	3
902	regia	hP+	3
903	speciosa	hA	r.	3
904	Schafta	hP+	ro.	3
905	sibirica	g. & y.	1½	...	3
906	Solanum aggregatum	5	25	148	gS	p.	4	6-7	6
907	crassifolium	v.	3	...	6
908	laciniatum	6
909	Sollya angustifolia**	130	...	b.	6	6-9	6
910	heterophylla**	6
911	Sparaxis tricolor, var.	3	...	106	fPb	div.	1	6-7	6
912	Sphanogyne speciosa	19	55	85	hhA	y.	...	7-8	3
913	Stachys speciosa	14	58	108	hP+	s.	2	...	6
914	Static formosa	5	30	131	...	pk.	1	...	6
915	grandiflora	gS	r.	6
916	Stenactis speciosa	19	54	85	hP+	p.	1½	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)										
No.			Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
917	<i>Stèvia purpùrea</i>	purple	19	53	85	hP†	p.	1½	7-8	3
918	<i>serràta</i>	serrated	w.	3
919	<i>Stipa pennàta</i>	(Feather-Grass)	3	26	103	...	ap.	2	...	6
920	<i>Streptocarpus Rexii</i>	Rex's	2	25	73	gP†	b.	½	6-8	6
921	<i>Sutherlandia frutescens</i>	shrubby	17	45	109	hS	s.	3	7-8	3
922	<i>grandiflora</i>	large-flowered	3
923	<i>Tacsonia pinnatistipula**</i>	pinnate-stipuled	16	40	128	gS	r.	15	6-9	6
924	<i>Tagètes lucida</i>	shining	19	54	85	gP†	y.	1	7-8	4
925	<i>signàta (tenuifolia)</i>	slender-leaved	hhA	...	1½	...	3
926	<i>Telèkia speciosa</i>	showy	bP†	...	4	...	3
927	<i>Thàlia dealbàta</i>	whitened Aquatic	1	25	118	gP	b.	3
928	<i>Thunbergia alàta**</i>	winged	14	59	63	gP†	bff. & d.	6	6-9	4
929	<i>alàta alba**</i>	white	w. & d.	4
930	— <i>aurantiaca**</i>	orange	o. & d.	4
931	— <i>Bakèri**</i>	Mr. Baker's	w.	4
932	— <i>mesoleuca**</i>	white-centred	o. & w.	4
933	— <i>sulphùrea**</i>	sulphur	sul.	4
934	— <i>var. nova**</i>	new variety	y. & w.	4
935	<i>Tigrídia pavonia var.</i>	(Tiger-flower)	16	38	106	fPb	div.	1	7-9	4
936	<i>sp. ex Texas</i>	Texian species	b.	½	...	1 0
937	<i>Torènia scàbra (Artanema)</i>	rough	14	59	144	gP†	...	3	6-7	4
938	<i>Trachèlium cæruleum</i>	blue	5	25	77	hbB†	...	2	7-8	3
939	<i>cæruleum album</i>	white	w.	6
940	<i>Trifolium èlegans</i>	elegant	17	45	109	hP†	l. r.	1	...	3
941	<i>Tropæolum peregrinum**</i>	(Cunary-Birds)	8	25	152	lhA	y.	6	7-9	3
942	<i>brachyceras**</i>	short-horned	gPb†	...	4	...	6
943	<i>Jarrattii**</i>	Mr. Jarratt's	s. & y.	6
944	<i>Lobbiànium**</i>	Mr. Lobb's	gP†	er.	6
945	<i>Moritzianum**</i>	Moritz's	gA	s. & y.	6
946	— <i>ornatum**</i>	ornamented	tip'd	1 0
947	<i>pentaphyllum**</i>	five-leaved	gPb†	o. & y.	6
948	<i>Sheuermanniànium**</i>	Sheuermann's	hA	tip'd	1 0
949	<i>Smithiànium**</i>	Mr. Smith's	o	6
950	<i>Tweedia cærulea**</i>	blue	5	26	69	hP	b.	3
951	<i>Venèdium calendulaceum</i>	Calendula-like	19	56	85	hhA	y.	1	6-9	6
952	<i>sp. eximia</i>	fine species	6
953	<i>Veràtrum album</i>	white	23	51	119	hP†	l. y.	3	6-8	6
954	<i>Lobeliànium</i>	Lobel's	w.	6
955	<i>nigrum</i>	black	d. p.	6
956	<i>Verbascum spectàbile</i>	showy	5	25	148	...	y. & p.	2	7-8	6
957	<i>versicolor</i>	versicolor	va.	3
958	<i>Verbèna Aublètia</i>	Aublet's	14	59	157	hbB†	p.	1	6-9	3
959	<i>Drummondii</i>	Mr. Drummond's	li.	3
960	<i>pulehella</i>	pretty	p.	2	...	3
961	<i>puleherrima</i>	prettiest	d. r.	1	...	3
962	<i>venòsa*</i>	veined	ro.	3
963	<i>Vinea ròsea et alba</i>	rose and white	5	25	68	sS	ro. & w.	...	3-9	6
964	<i>Viola odoràta, pl. var.</i>	fragrant, mixed	158	hP†	div.	...	5-7	6
965	<i>Viscària cœli-ròsa</i>	Rose of Heaven	10	30	147	hA	flsh.	...	7-8	3
966	<i>oculàta</i>	(dark-eyed)	r.	3
967	— <i>alba</i>	white	w.	3
968	<i>Wahleubergia lobelioides</i>	Lobelia-like	5	25	77	...	b.	½	...	3
969	<i>Yucca aloëfolia</i>	Aloe-leaved	6	...	110	fS	w. & g.	3	8-10	6
970	<i>Zauschneria californica</i>	Californian	8	...	125	...	s.	1½	7-9	6
971	<i>Zinnia èlegans</i>	elegant	19	54	85	hhA	v.	2	...	4
972	— <i>èlegans alba</i>	— white	w.	4
973	— <i>albo-lùtea</i>	— white and yellow	w. & y.	4
974	— <i>aurantiaca</i>	— orange	o.	4
975	— <i>caruca</i>	— flesh-coloured	flsh.	4
976	— <i>cocèinea</i>	— scarlet	s.	4
977	— — <i>màjor</i>	— large do.	4
978	— <i>flàva</i>	— yellow	y.	4
979	— <i>kermesina</i>	— crimson	cr.	4
980	— <i>lilacina</i>	— lilac	li.	4
981	— <i>miniàta</i>	— vermilion	ver.	4
982	— <i>purpùrea</i>	— purple	p.	4
983	— <i>ròsea</i>	— rose-coloured	ro.	4
984	— <i>sanguinea</i>	— blood-red	d. r.	4

A,—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
985	<i>Zinnia elegans straminea</i>	19	53	85	hhA	stra.	2	7-9	s. d. 4
986	— <i>elegans, striata</i>	stri.	4

FLOWERS HAVING POPULAR NAMES.

The following plants are best known by the Popular Names, but the Scientific Name being necessary to show the genus to which they belong, it is also given. Such Popular Names as *Convolvulus Minor*, *Flos Adonis*, *White Candytuft*, *Columbine*, &c., have little or no affinity with the Latin, and are not to be considered as translations.

<i>A</i> — is employed to indicate varieties.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									
987	Aster, Chinese, mixed	19	54	85	hhA	div.	feet 1½	8-10	s. d. 3
988	German, mixed	6
989	globe-flowered	3
990	Perfection	1 0
991	pyramidal	3
992	Turkey	d. r.	3
993	dwarf	div.	1	7-9	3
994	Auricula, fine alpine	5	25	136	hP	...	½	5-7	6
995	finest prize	fP	2 6
996	Balsam, fine double, m.	71	tA	...	2	6-9	6
997	double purple	p.	3
998	— rose	ro.	3
999	— scarlet	s.	3
1000	— spotted	div.	6
1001	— striped	6
1002	— white	w.	3
1003	Camellia-flowered	div.	6
1004	— blue and white	b. & w.	3
1005	— carmine & white	e. & w.	3
1006	— crimson & white	cr. & w.	3
1007	— rose and white	ro. & w.	3
1008	— violet and white	v. & w.	3
1009	rose-flowered	div.	6
1010	— flesh-coloured	flesh.	3
1011	— fiery-red	s.	3
1012	— purple	p.	3
1013	— sulphur, superb	sul.	6
1014	— white	w.	3
1015	new dwarf	div.	1	...	6
1016	— crimson	cr.	3
1017	— lilac	li.	3
1018	— peach	peh.	3
1019	— scarlet	s.	3
1020	Nos. 996 to 1019	div.	6 6
1021	Candytuft, fragrant	15	60	89	hA	w.	3
1022	purple	p.	3
1023	new crimson	cr.	3
1024	Rocket	w.	3
1025	rose	ro.	3
1026	two-coloured	w. & p.	3
1027	white	w.	3
1028	Nos. 1021 to 1027	div.	1 6
1029	Canterbury Bell, p.	5	25	77	hP+	...	2½	...	3
1030	white	w.	3
1031	double purple	p.	3
1032	— lilac	li.	3
1033	— white	w.	3
1034	Capsicum, fine mixed	148	tA	...	1½	...	6
1035	Carnation, double	10	26	147	hP	div.	2	...	1 0
1036	double, splendid	fP	2 6
1037	Catchfly, Lobel's red	hA	r.	1	6-7	3
1038	white	w.	3
1039	Chrysanthemum tricol.	19	54	85	...	3col.	...	6-10	3
1040	tricolor, splendid	3

A — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1041	Chrysanthemum, tr. y.	<i>Chrysan. tricolor flavum</i>	19	54	85	hA	y.	1	6-10	3
1042	showy	<i>speciosum</i>	3
1043	yellow	<i>coronarium</i>	w.	3
1044	white	— album	3
1045	Clary, purple	<i>Salvia Horminum</i>	2	25	108	...	p.	1	7-8	3
1046	red	<i>Horminum rubra</i>	r.	3
1047	Cockscomb, dwarf	<i>Celsia cristata, nana</i>	5	...	64	tA	er.	4
1048	rosy crimson	<i>cristata nana kermesina</i>	l. er.	4
1049	tall scarlet	— elata coccinea	s.	1½	...	4
1050	Columbine, double	<i>Aquilegia vulgaris, fl. pl.</i>	13	30	138	hP+	div.	2	6-8	3
1051	Convolvulus major**	<i>Ipomœa purpurea</i>	5	25	87	hhA	...	10	7-10	3
1052	major, splen., 20v.**	<i>purpurea splendida</i>	1	0
1053	— beautiful**	— formosa	ro.	3
1054	— crimson**	— kermesina	er.	3
1055	— dark blue**	— atrocœrulea	d. b.	3
1056	— dark purple**	— atropurpurea	d. p.	3
1057	— dark violet**	— atrovioletacea	d. v.	3
1058	— flesh-coloured**	— carnea	flsh.	3
1059	— light red**	— rubella	l. r.	3
1060	— lilac & red**	— lilacino-rubra	var.	3
1061	— rose**	— rosea	ro.	3
1062	— spotted**	— punctata	spot.	3
1063	— striped**	— striata	stri.	3
1064	— violet**	— violetacea	v.	3
1065	— white**	— alba	w.	3
1066	Convolvulus minor	<i>Convolvulus tricolor</i>	hA	l. b.	1	6-9	3
1067	minor, azure	<i>tricolor azureus</i>	az.	3
1068	— dark purple	— atropurpureus	d. p.	3
1069	— large-flowered	— grandiflorus	p.	3
1070	— lilac	— lilacinus	li.	3
1071	— striped	— striatus	stri.	3
1072	— violet	— violaceus	v.	3
1073	— white & yellow	— albo-flavus	w. & y.	3
1074	fringed	<i>ciliatus</i>	pk.	3
1075	Nos. 1052 to 1074		div.	div.	6-10	5 6
1076	Cowslip, fine mixed	<i>Primula elatior, pl. var.</i>	136	hP+	...	¾	3-7	3
1077	Cyanus, sky-blue	<i>Centaurea Cyanus</i>	19	55	85	hA	b.	2	6-9	4
1078	Egg-Plant, purple	<i>Solanum ovigerum</i>	5	25	148	tA	p. fr.	...	7-9	3
1079	white	<i>ovigerum album</i>	w. fr.	3
1080	Flos Adonis	<i>Adonis œstivâlis</i>	13	35	138	hA	s.	1	7-8	3
1081	Fraxinella, white	<i>Dictamnus Fraxinella</i>	10	25	141	hP	w.	3	6-8	3
1082	red	<i>Fraxinella rubra</i>	r.	3
1083	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	109	hB+	s.	2	7-8	3
1084	white	<i>coronarium album</i>	w.	3
1085	Globe Amaranthus, p.	<i>Gomphrœna globosa</i>	5	25	64	gA	p.	2½	7-9	4
1086	flesh-coloured	<i>globosa carnea</i>	flsh.	4
1087	striped	— striata	stri.	4
1088	white	— alba	w.	4
1089	superb deep yellow	<i>sp. superba, v. No. 480.</i>	o. y.	1 0
1090	Courd, Bottle	<i>Cucurbita lagenaria</i>	21	49	90	fA	w.	trai	...	4
1091	Hercules' Club	<i>lagenaria clavata</i>	4
1092	Elector's Bonnet	<i>melocœpo, var.</i>	y.	3
1093	orange	<i>aurantia</i>	3
1094	pear	<i>ovifera pyriformis</i>	3
1095	Turban	<i>var. tiaraformis</i>	3
1096	Snake	<i>Cucumis flexuosa</i>	4
1097	Hawkweed, red	<i>Crœpis rubra</i>	19	53	85	hA	r.	1	6-7	3
1098	white	<i>rubra alba</i>	w.	3
1099	yellow	<i>Tolpis barbata</i>	y.	3
1100	silvery	<i>barbata argentea</i>	sil.	3
1101	Heartsease (Pansy), ex.	<i>Viola tricolor hybrida</i>	5	25	158	hP+	div.	...	6-10	1 0
1102	brown red	<i>tricolor xerampelina</i>	r. br.	1 0
1103	striped	— striata	stri.	1 0
1104	Hollyhock, Antwerp	<i>Althœa ficifolia</i>	16	48	117	hP	bff.	7	6-9	3
1105	rose	<i>rosea</i>	ro.	3
1106	black	— nigra	blk.	3
1107	erimson	— kermesina	er.	3
1108	purple	— purpurea	p.	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.	
No.										
1109	Hollyhoek, red	<i>Althæa rosea rubra</i>	16	48	117	hP	r.	7	6-9	3
1110	white	— <i>alba</i>	w.	3
1111	yellow	— <i>lutea</i>	y.	3
1112	Honesty, purple	<i>Lunaria biennis</i>	15	60	89	hB†	p.	3	5-6	3
1113	white	— <i>biennis alba</i>	w.	3
1114	Honey-flower, larger	<i>Cerinthe major</i>	5	25	74	hA	y. & p.	2	7-8	3
1115	smaller	— <i>minor</i>	y.	1	3
1116	Horn Poppy, scarlet	<i>Glaucium phæniceum</i>	13	...	127	...	s.	2	...	3
1117	yellow	— <i>flavum</i>	y.	3
1118	violet	<i>Rumex hybrida</i>	v.	3
1119	Ice Plant	<i>Mesembryanth. crystallinum</i>	12	27	96	hhA	w.	3
1120	Jacobæa, double	<i>Senecio elegans, fl. pleno</i>	19	54	85	hA	div.	1½	7-9	3
1121	double crimson	— <i>elegans kermesina</i> "	er.	3
1122	— purple	— <i>purpurea</i> "	p.	3
1123	— red	— <i>rubra</i> "	r.	3
1124	— rose	— <i>rosea</i> "	ro.	3
1125	— violet	— <i>violetacea</i> "	v.	3
1126	— white	— <i>alba</i> "	w.	3
1127	Larkspur, dwarf	<i>Delphinium Ajacis humile</i>	13	28	138	...	div.	¾	7-8	3
1128	dwarf, German	— <i>humile, var.</i>	6
1129	— blue	— <i>cæruleum</i>	b.	3
1130	— hyacinth-like	— <i>hyacinthoides</i>	div.	6
1131	— rose	— <i>roseum</i>	ro.	3
1132	— striped	— <i>striatum</i>	stri.	3
1133	— white	— <i>album</i>	w.	3
1134	tall German	— <i>elatior, var.</i>	div.	1¼	6
1135	— blue	— <i>cæruleum</i>	b.	3
1136	— rose	— <i>roseum</i>	ro.	3
1137	— white	— <i>album</i>	w.	3
1138	German branching	<i>Consolida</i>	div.	2	7-9	6	
1139	— purple	— <i>purpureum</i>	p.	3
1140	— rose	— <i>roseum</i>	ro.	3
1141	— striped	— <i>striatum</i>	stri.	3
1142	— white	— <i>album</i>	w.	3
1143	Lavatera, red	<i>Lavatera trimestris</i>	16	48	117	hA	r.	3	...	3
1144	white	— <i>trimestris alba</i>	w.	3
1145	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	64	...	r.	...	7-8	3
1146	Lupins, Dutch	<i>Lupinus canaliculatus</i>	16	45	109	...	b.	2½	6-9	3
1147	large blue	— <i>hirsutus</i>	3
1148	— rose	— <i>pilosus</i>	ro.	3
1149	small blue	— <i>angustifolius</i>	b.	2	3
1150	yellow	— <i>luteus</i>	y.	1½	3
1151	straw-coloured	— <i>stramineus</i>	l. y.	3
1152	white	— <i>albus</i>	w.	1½	3
1153	Marigold, French	<i>Tagetes patula</i>	19	54	85	hhA	div.	...	7-10	3
1154	French, dwarf	— <i>patula nana</i>	br.	1	3
1155	— superb striped	— <i>striata superba, fl. pl.</i>	stri.	1½	4
1156	— unique	— <i>simpliciflora striata</i>	y. & br.	3
1157	— very dwarf, new	— <i>nanissima nova</i>	br.	½	4
1158	— yellow	— <i>flava nova</i>	y.	4
1159	African	— <i>crecta</i>	o. & y.	2	3
1160	— orange	— <i>aurantiaca</i>	o.	3
1161	— lemon	— <i>citrina</i>	lem.	3
1162	— very double	— <i>plenissima</i>	o.	4
1163	— yellow	— <i>flava</i>	y.	4
1164	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w. & p.	1	...	3
1165	hybrid	— <i>hybrida</i>	w.	...	7-8	...	3
1166	superb garden	— <i>officinalis superba</i>	o.	3
1167	Marvel of Peru	<i>Mirabilis Jalapa</i>	3	25	121	hP†	div.	2	6-8	3
1168	carmine and scarlet	— <i>Jalapa miniato-coccinea</i>	var.	4
1169	gold-striped	— <i>luteo-striata</i>	stri.	3
1170	hybrid, new	— <i>hybrida nova</i>	var.	4
1171	scarlet	— <i>coccinea</i>	s.	4
1172	silver-striped	— <i>argenteo-striata</i>	stri.	3
1173	superb, new	— <i>superba nova</i>	var.	4
1174	white	— <i>alba</i>	w.	3
1175	yellow	— <i>flava</i>	y.	3
1176	sweet-scented	— <i>longiflora</i>	w.	3

<i>A — is employed to indicate varieties.</i>			L.Cl.	L.O.	N.O.	H. & Dmr.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1177	Marvel of Peru, purple	<i>Mirabilis Jalapa, lon. pur.</i>	3	25	121	fPb	p.	2	6-8	4
1178	Mignonette (oz. 6d.)	<i>Reseda odorata</i>	11	28	139	hA	bff.	1	...	3
1179	new large-flowered	<i>odorata grandiflora</i>	1½	...	4
1180	Nasturtion, new dwarf	<i>Tropaeolum minus</i>	8	43	152	...	y. & r.	1	6-9	3
1181	three-spotted	<i>tripunctatum</i>	y. & s.	3
1182	scarlet, dwarf	<i>minus dubium</i>	s.	1½	...	3
1183	tall orange	<i>maius aurantiacum</i>	o.	4	...	3
1184	— carmine	— <i>miniatum</i>	car.	3
1185	— crimson	— <i>kermesinum</i>	cr.	3
1186	— Shilling's	— <i>Shillingii</i>	spot.	3
1187	Palma Christi, major	<i>Ricinus communis major</i>	21	49	95	hhA	yh. g.	6	7-8	3
1188	Pea, Lord Anson's**	<i>Lathyrus magellanicus</i>	17	45	109	hP†	b.	...	6-8	3
1189	Tangier**	<i>tingitanus</i>	hA	cr.	4	...	3
1190	— striped**	— <i>striatus</i>	stri.	3
1191	Pea, Sweet** (lb. 3s.)	<i>odoratus</i>	div.	6	...	3
1192	black**	— <i>niger</i>	blk.	3
1193	painted Lady**	— <i>piectus</i>	va.	3
1194	purple**	— <i>purpureus</i>	p.	3
1195	— striped**	— <i>striatus</i>	p. str.	3
1196	scarlet**	— <i>coccineus</i>	s.	3
1197	— striped**	— <i>striatus</i>	s. str.	3
1198	white**	— <i>albus</i>	w.	3
1199	Persicaria, red	<i>Polygonum orientale</i>	8	28	134	...	r.	4	7-8	3
1200	Picotee, double	<i>Dianthus Caryophyllus, p.</i>	10	26	147	hP	div.	2	6-9	10
1201	finest double	<i>Car. punctatus, extra</i>	fP	2
1202	Polyanthus, fine	<i>Prinula elatior polyantha</i>	5	25	136	hP†	...	¾	5-7	3
1203	extra fine	<i>polyantha var.</i>	1
1204	Poppy, double	<i>Papaver somniferum, fl. pl.</i>	13	...	127	hA	...	2	7-8	3
1205	double fringed	<i>somniferum fimbriatum</i>	s.	3
1206	— scarlet	— <i>coccineum</i>	3
1207	— striped	— <i>striatum</i>	str.	3
1208	— white	— <i>album</i>	w.	3
1209	— new hybrid	— <i>hybridum novum</i>	div.	4
1210	— — Peony	— <i>paoniaeflorum</i>	4
1211	— — superb	— <i>superbum</i>	4
1212	dwarf Carnation	<i>Rheas caryophylloides</i>	1	...	3
1213	— double French	<i>Rheas flore-pleno</i>	3
1214	— new rose	— <i>roseum novum</i>	ro.	4
1215	— — scarlet	— <i>coccineum</i> „	s.	4
1216	— — white	— <i>album</i> „	w.	4
1217	Primrose, yellow	<i>Prinula vulgaris</i>	5	...	136	hP†	y.	¼	5-7	3
1218	Prince's Feather, large	<i>Amaranthus speciosus</i>	21	40	64	hA	p.	2½	7-8	3
1219	common	— <i>hypochoeriacus</i>	1	...	3
1220	Quaking Grass	<i>Briza maxima</i>	3	26	103	...	ap.	1	...	3
1221	slender	— <i>gracilis</i>	3
1222	Rocket, purple	<i>Hesperis matronalis</i>	15	61	89	hP	p.	...	6-9	3
1223	sweet	— <i>tristis</i>	w.	3
1224	Rose Campion	<i>Lychnis coronaria</i>	10	31	147	hP†	cr.	2½	...	3
1225	Scabious, new dwarf	<i>Scabiosa nana</i>	4	25	92	hA	div.	1	7-8	3
1226	dark purple	— <i>atropurpurea</i>	hP†	d. p.	2	...	3
1227	— crimson	— <i>kermesina</i>	cr.	3
1228	lilac and white	— <i>lilacino-alba</i>	var.	3
1229	purple	— <i>purpurea</i>	p.	3
1230	Sensitive Plant	<i>Mimosa pudica</i>	23	51	109	gS	pk.	...	7-9	4
1231	Stock, dwarf German	<i>Matthiola an. densiflora</i>	15	61	89	hhA	div.	1	6-9	6
1232	dwarf azure	— <i>annua densiflora az.</i>	b.	4
1233	— crimson	— <i>densiflora kermesina</i>	cr.	4
1234	— dark carmine	— <i>atro-miniata</i>	d. car.	4
1235	— — crimson	— <i>atro-kermesina</i>	d. cr.	4
1236	— light blue	— <i>late-carulea</i>	l. b.	4
1237	— new sulphur	— <i>sulphurea nova</i>	l. y.	4
1238	— rose	— <i>rosea</i>	ro.	4
1239	— violet	— <i>violacca</i>	v.	4
1240	— white	— <i>alba</i>	w.	4
1241	large-flowered, new	— <i>grandiflora nova</i>	div.	6
1242	— blue	— <i>caerulea</i>	b.	4
1243	— dark carmine	— <i>atro-miniata</i>	d. car.	1	6-9	4
1244	— light blue	— <i>caerulescens</i>	l. b.	4

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	N. of Flow.	Price.
No.								feet		s. d.
1245	Stock, large-flowered	<i>Mathiola an. grand. ròsea</i>	15	61	89	hhA	ro.	1	6-9	4
1246	— white	<i>annua grandiflora alba</i>	w.	4
1247	very dwarf, new	— <i>nanissima ndva</i>	div.	$\frac{1}{2}$...	6
1248	— carmine	— <i>miniata</i>	ear.	6
1249	— dark blue	— <i>atro-carùlea</i>	d. b.	6
1250	— flesh-coloured	— <i>carnea</i>	flsh.	6
1251	— white	— <i>alba</i>	w.	6
1252	Ten-week, English	— <i>ramòsa</i>	div.	1 $\frac{1}{4}$...	3
1253	— purple	— <i>purpùrea</i>	p.	3
1254	— pyramidal	— <i>pyramidalis</i>	w.	3
1255	— scarlet	— <i>coccinea</i>	s.	3
1256	— Victoria	— <i>atropurpùrea</i>	d. p.	3
1257	— white	— <i>alba</i>	w.	3
1258	Wall-flower-leaved	— <i>cheirifolia (græca)</i>	div.	1	...	3
1259	— purple	— <i>purpùrea</i>	p.	3
1260	— rose	— <i>ròsea</i>	ro.	3
1261	— scarlet	— <i>coccinea</i>	s.	3
1262	— white	— <i>alba</i>	w.	3
1263	Intermediate	— <i>intermedia</i>	div.	1 $\frac{1}{2}$	7-10	6
1264	— blue	— <i>carùlea</i>	b.	4
1265	— rose	— <i>ròsea</i>	ro.	4
1266	— scarlet	— <i>coccinea</i>	s.	4
1267	— white	— <i>alba</i>	w.	4
1268	Brompton	<i>simplicicaulis</i>	hhB	div.	2 $\frac{1}{2}$	5-7	6
1269	— purple	— <i>purpùrea</i>	p.	4
1270	— scarlet	— <i>coccinea</i>	s.	4
1271	— white	— <i>alba</i>	w.	4
1272	Imperial, 6 var.	— <i>semperflorens, pl. v.</i>	hP+	div.	1 $\frac{1}{2}$	6-10	6
1273	— blue	— <i>carùlea</i>	b.	4
1274	— crimson	— <i>kermesina</i>	cr.	4
1275	— rose	— <i>ròsea</i>	ro.	4
1276	— rosy earmine	— <i>ròseo-miniata</i>	ro. ear.	4
1277	— white	— <i>alba</i>	w.	4
1278	Queen, 10 var.	<i>incana pl. var.</i>	hB	div.	...	5-7	6
1279	— purple	— <i>purpùrea</i>	p.	3
1280	— scarlet	— <i>coccinea</i>	s.	3
1281	— white	— <i>alba</i>	w.	3
1282	Sunflower, double tall	<i>Helianthus annuus fl. pl.</i>	19	55	85	hA	y.	6	7-9	3
1283	double dwarf	<i>indicus</i>	2	...	3
1284	Californian, double	<i>californicus, fl. pl.</i>	d. y.	3	...	4
1285	Texian, new	<i>sp. ex Texas</i>	o. ?	6
1286	Sweet Briar	<i>Rosa rubiginosa</i>	12	35	140	hS	pk.	5	5-7	3
1287	Sweet Sultan, purple	<i>Centaurea moschata</i>	19	55	85	hA	p.	2	7-9	3
1288	white	<i>moschata alba</i>	w.	3
1289	yellow	<i>suaveolens</i>	y.	3
1290	Venus'-Looking-Glass	<i>Campanula Spécuhum</i>	5	25	77	...	b.	4	6-8	3
1291	blush	<i>Spécuhum rubicunda</i>	blsh.	3
1292	white	— <i>alba</i>	w.	3
1293	large purple	<i>pentagonia</i>	p.	3
1294	— white	— <i>alba</i>	w.	3
1295	Venus'-Navel-wort	<i>Cynoglossum linifolium</i>	74	1	7-8	3
1296	Virginian Stock, red	<i>Malcolmia maritima</i>	15	61	89	...	r.	$\frac{1}{2}$	6-7	3
1297	white	<i>maritima alba</i>	w.	3
1298	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hS	d. br.	2	5-9	3
1299	yellow	<i>Cheiri flavus</i>	y.	3
1300	double dark	— <i>flòre-plèno</i>	d. br.	4
1301	— bluish purple	— <i>purpùreo-carùleus</i>	p.	4
1302	Winter Cherry	<i>Phýsalis Alkekengi</i>	5	25	148	hA	w.	2 $\frac{1}{2}$	7-9	3
1303	Xeranthemum, double	<i>Xeranthemum annuum pl.</i>	19	54	85	...	p.	2	...	3
1304	double white	<i>annuum album</i>	w.	3
1305	yellow	<i>Helichrysium bracteatum</i>	y.	3
1306	new sulphur	<i>bracteatum sulphureum</i>	sul.	3
1307	white	— <i>album</i>	w.	3
1308	Zinnia, golden	<i>Zinnia aurea</i>	y.	3
1309	— large-flowered	<i>grandiflora</i>	r.	3

ASSORTMENTS

comprising the finest and newest varieties.

- I. *Hardy Annuals*; to be sown in the open borders from February till June.
 II. *Half-hardy do.*; on a hotbed from March to May (*Asters* and *Zinnias* early in April).
 III. *Hardy Perennials*; in the open ground from March to August.
 IV. *Frame Perennials*; raise on gentle heat from March to April; plant out in May.
 V. *Greenhouse Seeds* may be sown from January till September.
 VI. *Stove Seeds*; any time from January to September.

No.	I. <i>Hardy Annuals.</i>	s. d.	No.	s. d.	No.	s. d.		
1310	6 Calliopsis	2 0	1358	6 Ipomæa	1 6	1405	3 Veratrum	1 0
1311	6 Candytuft	1 0	1359	3 Loasa	0 9	1406	4 Wallflower	1 3
1312	6 Chrysanthemum	1 0	1360	6 Lobelia, dwarf	1 6			
1313	4 Clarkia elegans	0 9	1361	4 Marigold, French	1 0		IV. <i>Frame Perennials.</i>	
1314	4 Clarkia pulchella	0 9	1362	4 Marigold, African	1 0			
1315	5 Collinsia	2 0	1363	4 Martynia	1 0	1407	4 Alonsoa	1 0
1316	4 Convolvulus minor	0 9	1364	3 Mesembryanthemum	1 0	1408	3 Commelina	1 6
1317	3 Eutoea	0 9	1365	4 Nemesia {mum	1 6	1409	5 Ipomopsis	1 6
1318	4 Gilia	0 9	1366	6 Petunia	2 0	1410	6 Lobelia	1 6
1319	6 Godetia	1 0	1367	6 Phlox Drummond.	2 0	1411	6 Marvel of Peru	1 6
1320	4 Hawkweed	0 9	1368	6 Portulaca	2 0	1412	6 Mimulus cardinalis	1 6
1321	4 Hibiscus	0 9	1369	6 Salpiglossis	2 0	1413	6 Mimulus, dwarf	1 6
1322	3 Horn Poppy	0 6	1370	4 Schizanthus	1 0	1414	3 Stock, Brompton	0 9
1323	6 Jacobæa	1 3	1371	6 Stock, German	2 0	1415	4 — Imperial	1 6
1324	6 Larkspur, branch.	1 3	1372	4 — new large	1 6	1416	3 — Queen	0 6
1325	4 Leptosiphon [ing]	0 9	1373	4 — new very dwarf	1 6	1417	6 — Verbena	1 6
1326	4 Limnanthes	1 6	1374	6 — Ten-week	1 3			
1327	6 Linaria	1 0	1375	6 — Intermediate	1 6		V. <i>Greenhouse Seeds.</i>	
1328	6 Lupinus, old sorts	1 0	1376	4 — Wallflower-Ivy.	0 9	1418	4 Acacia	1 3
1329	6 Lupinus, new & do.	1 6	1377	3 Sultan, sweet	0 6	1419	4 Alstrœmeria	1 3
1330	4 Malope	0 9	1378	6 Zinnia elegans	1 9	1420	4 Anagallis	1 6
1331	6 Nasturtion	1 0				1421	3 Browallia	0 9
1332	6 Nemophila	1 0		III. <i>Hardy Perennials.</i>		1422	3 Calceolaria	3 6
1333	4 Nolana	1 0	1379	4 Alstrœmeria	1 6	1423	3 Calampelis	1 0
1334	4 Oenothera	1 0	1380	4 Anemone	1 6	1424	4 Cassia	1 6
1335	3 Persicaria	0 6	1381	8 Antirrhinum	2 0	1425	4 Chorozema	1 6
1336	5 Podolepis	2 6	1382	6 Aquilegia	1 6	1426	3 Cockscorn	1 0
1337	6 Poppy, extra fine	1 6	1383	6 Campanula	1 6	1427	6 Erica	2 0
1338	6 Poppy, dwarf	1 0	1384	5 Canterbury Bell	1 0	1428	4 Geranium [thus]	2 6
1339	6 Scabious, German	1 3	1385	5 Carnation & Picotee	10 0	1429	5 Globe Amaranth	2 0
1340	6 Schizanthus	1 0	1386	8 Delphinium	2 0	1430	5 Helichrysum	1 6
1341	4 Silene	0 9	1387	8 Dianthus, dwarf	2 6	1431	4 Heliotropium	1 0
1342	4 Sunflower	1 0	1388	6 Digitalis	1 0	1432	4 Hibiscus	1 6
1343	8 Sweet Peas	1 6	1389	4 Eschscholtzia	1 0	1433	5 Indigofera	1 0
1344	5 Venus' Looking-	1 0	1390	3 Forget-me-not	1 0	1434	8 Ipomæa	3 6
1345	3 Viscaria [Glass]	0 6	1391	4 Gaillardia	1 6	1435	4 Kennedya	1 3
1346	5 Xeranthemum	1 0	1392	6 Gentiana	1 6	1436	4 Lophospermum	1 3
			1393	4 Geum	1 0	1437	4 Maurandya	1 6
	II. <i>Half-hardy.</i>		1394	8 Hollyhock	2 0	1438	4 Passiflora	1 6
1347	6 Balsam, double	1 6	1395	6 Indian Pink	1 6	1439	5 Primula sinensis	4 0
1348	6 Balsam, Camellia	1 6	1396	8 Lupinus	1 6	1440	3 Solanum	1 0
1349	5 Calandrinia	1 3	1397	5 Lychnis	1 3	1441	4 Thunbergia	1 6
1350	4 Calliopsis	1 0	1398	6 Oenothera	1 6	1442	4 Tropæolum	1 6
1351	3 Chænostoma	1 0	1399	4 Papaver	1 0			
1352	8 Convolvulus major	1 6	1400	4 Pentstemon Hartwegii	1 3		VI. <i>Stove Seeds.</i>	
1353	4 Cuphea	1 0				1443	6 Canna	1 3
1354	6 Gaillardia	2 0	1401	6 do. various	1 6	1444	4 Gesneria	3 0
1355	4 Gourds	1 0	1402	4 Potentilla	0 9	1445	2 Poinciana	1 0
1356	5 Helichrysum	1 6	1403	4 Silene	0 9	1446	2 Viuca	0 9
1357	4 Heliophila	1 3	1404	4 Sweet William	1 0			

MIXED PACKETS OF FLOWER SEEDS,

comprising all the finest and newest varieties. See 1447 to 1641.

For the particulars of treatment, &c. of the following six Sections, see above, as those remarks apply equally to the mixed packets.

No.	I. Hardy Annuals.	s. d.		s. d.		s. d.		
1447	Calliopsis	6	1515	Stock, intermediate	6	1577	Dahlia	6
1448	Candytuft	3	1516	— Ten-week	3	1578	Gladiolus	1 0
1449	Clarkia elegans	3	1517	— wallflower-lvd.	3	1579	Ipomopsis	6
1450	Clarkia pulchella	3	1518	Zinnia elegans	6	1580	Ixia	6
1451	Collinsia	6				1581	Lilium superbum,	1 0
1452	Collomia	3		III. Hardy Perennials.			3 var.	
1453	Convolvulus minor	3	1519	Anemone	6	1582	Marvel of Peru	6
1454	Cyanus	3	1520	Antirrhinum	6	1583	Minulus, large	6
1455	Gilia	3	1521	Aquilegia	3	1584	— dwarf	6
1456	Godetia	3	1522	Auricula	6	1585	Picotee, extra fine	2 6
1457	Ilibiseus	3	1523	Azalea	6	1586	Sparaxis	6
1458	Horn Poppy	3	1524	Bellis perennis	1 0	1587	Stock, Brompton	6
1459	Jacobæa	3	1525	Campanula	6	1588	— Imperial	6
1460	Kaulfussia [ing	6	1526	Canterbury Bell, d.	3	1589	— Queen, 6 var.	6
1461	Larkspur, Branch-	6	1527	— single	3	1590	— Verbena, 20 var.	1 0
1462	— dwarf German	6	1528	Catananche	3		V. Greenhouse Seeds.	
1463	— Hyacinth	6	1529	Carnation, double	1 0	1591	Acacia	6
1464	Leptosiphon	3	1530	Centaurea	3	1592	Agapanthus	1 0
1465	Limnanthes	6	1531	Chelone	3	1593	Anagallis	6
1466	Lupinus, common	3	1532	Chrysanthemum,	1 0	1594	Azalea	6
1467	— newer sorts	6		Indian		1595	Balsam, double	6
1468	Malope	3	1533	Clematis, 8 sp.	1 0	1596	— Camellia	6
1469	Nemophila	3	1534	Cowslip & Oxlip	3	1597	— new rose	6
1470	Nolana	6	1535	Cytisus	3	1598	— new dwarf	6
1471	Poppy, superb	3	1536	Delphinium chinense	3	1599	Browallia	6
1472	— dwarf French	3	1537	—, tall	6	1600	Calampelis	6
1473	Scabious	6	1538	Dianthus, dwarf	6	1601	Calecolaria 2s. 6d.	1 0
1474	Schizanthus	3	1539	Digitalis (Foxglove)	3	1602	— Van Houtte's	5 0
1475	Sweet Peas	3	1540	Eschscholtzia	3	1603	Cassia	6
1476	Sweet Sultan	3	1541	Forget-me-not	6	1604	Chorozema	6
1477	Venus' Looking-	3	1542	Gaillardia	6	1605	Cineraria	1 0
1478	Viscaria [Glass	3	1543	Gentiana	3	1606	Cockseomb	6
1479	Xeranthemum	3	1544	Geum	6	1607	Cyclamen	6
	II. Half-hardy.		1545	Heartsease	1 0	1608	Dolichos	6
1480	Aster, Chinese	3	1546	Helianthemum	6	1609	Egg Plant	3
1481	— German	6	1547	Hollyhoek	6	1610	Epacris, extra	2 6
1482	— Globe	3	1548	Honeysuckle	6	1611	Erica	2 6
1483	— new dwarf	3	1549	Indian Pink	6	1612	Fuchsia	1 0
1484	— Perfection	1 0	1550	Iris	6	1613	Geranium	1 0
1485	— pyramidal	3	1551	Lathyrus	3	1614	— new hybrid	1 0
1486	Brachycome	6	1552	Liatris	3	1615	— scarlet, various	6
1487	Chælostoma	6	1553	Linum	6	1616	Globe Amaranthus	1 0
1488	Cleome	3	1554	Lupinus	6	1617	Goodia	6
1489	Convolvulus major	6	1555	Lychnis	3	1618	Helichrysom	6
1490	— splendid new	1 0	1556	Oenothera	6	1619	Heliotropium	6
1491	Cuphea	6	1557	Papaver	6	1620	Ilibiseus	6
1492	Gaillardia	6	1558	Pentstemon	6	1621	Indigofera	6
1493	Gourds	3	1559	Phlox	6	1622	Ipomæa	1 0
1494	Grammanthes	6	1560	Picotee, double	1 0	1623	Kennedya	6
1495	Helichrysom	6	1561	Pæonia	6	1624	Lophospermum	6
1496	Heliophila	6	1562	Polyanthus	6	1625	Maurandya	6
1497	Ipomæa	6	1563	Potentilla	6	1626	Passiflora	6
1498	Loasa	3	1564	Ranunculus	6	1627	Primula sinensis	6
1499	Lobelia, dwarf	3	1565	Rhododendron	6	1628	— fringed, 6 var.	1 0
1500	Marigold, French	3	1566	Rose	6	1629	Sollya	6
1501	— African	3	1567	Saxifraga	6	1630	Thunbergia	6
1502	Martynia [mum	6	1568	Sweet William	6	1631	Tropæolum	1 0
1503	Mesembryanth-	6	1569	Veratrum	6	1632	Greenhouse Seeds	1 0
1504	Nemesia	6	1570	Wallflower, single,	6		VI. Stove Seeds.	
1505	Nycteria	6		20 var.		1633	Achimenes	1 0
1506	Petunia	6	1571	Wallflower, double	6	1634	Canna	6
1507	Phlox Drummondii	6				1635	Ferns, W. India	1 0
1508	Podolepis	6		IV. Frame Perennials.		1636	Erythrina	1 0
1509	Portulaca	6	1572	Alonsoa	6	1637	Gesneria	1 0
1510	Salpiglossis	6	1573	Alstromeria	6	1638	Gloxinia	1 0
1511	Schizanthus	3	1574	Carnation, extra	2 6	1639	Poinciana	1 0
1512	Stock, dwarf Germ.	6	1575	Cistus	6	1640	Vinea	6
1513	— new large-flow.	6	1576	Commelina	1 0	1641	Stove Seeds	6
1514	— new very dwarf	6						

A CHOICE COLLECTION OF HARDY AND GREENHOUSE BULBS.

12, 25 or 50 may be had at the same rate as per 100; and a quarter or half a lb. at the rate per lb.

HARDY BULBS.		s.	d.	Gladiolus, new Seedlings.		each	s.	d.
Amaryllis lutea, yellow	per doz.	2	6	Palmyra			1	3
formosissima, most beautiful	"	5	6	Prince Albert			1	6
Anemone, finest double named	per 100	20	0	Prince Royal			1	3
double scarlet	"	10	0	Reine d'Hollande			1	6
double mixed, fine	per lb.	6	0	Reine des Belges			1	6
single mixed, best	"	4	0	Regina			1	3
single scarlet	"	8	0	Roi de Pays Bas			1	3
For clumping in separate colours.				Rouge Pourpre			1	3
Admiral Zoutman, blue	per doz.	2	6	Rubro Major			1	6
Emperor Alexander, variegated,	"	2	6	Salmonianus			1	6
Feu Superbe, bright scarlet	"	2	6	Splendidus			1	6
Josephine, splendid scarlet	"	2	6	Sternii			1	6
La Beauté Suprême, rose, var.	"	2	6	Striatus			1	3
Lord High Admiral, crimson	"	2	6	Superbus			1	3
Pourpre Superbe, purple	"	2	6	Viridis			1	6
Victoria Regina, purple centre	"	6	0	Variegatus			1	3
48 new scarlet in 4 varieties	"	7	6	24 extra fine varieties selected from the above			30	0
Anemone hortensis, 50 fine varieties	per doz.	2	6	Gladiolus, Seedlings from ramosus:		each	2	0
double red	"	2	6	Abdel Kader, spotted			1	0
scarlet	per 100	10	0	Aurantius multiflorus, orange			2	0
fine mixed	"	10	0	Batavia, purple-spotted			1	6
Apios tuberosa, tuberous	each	0	6	Bella Donna, very fine			1	6
Camassia esculenta, eatable	"	1	0	Belvedere, spotted orange			1	6
Corydalis bulbosa, bulbous	"	0	6	Brenckleyensis, deep red			1	6
Crinum capense, Cape	"	1	0	Coccineus verus, scarlet			1	6
Cyclamen europæum, European	doz.	7	6	Crocatus, spotted orange			1	0
Dahlia, dry roots, 9s. 12s. &	"	18	0	Delicatissimus, or. purple spots			2	6
Gladioli, for bedding.				Dictator, large orange-spotted			2	0
The Gladioli are among the most ornamental of Autumnal flowers, and as they bloom a long time and increase considerably, they merit general cultivation.				Duchesse d'Orléans, red			1	0
Gladiolus byzantinus	per doz.	1	6	Eclatante, violet			1	6
cardinalis, scarlet	"	3	6	Elegans, earline, blue spots			2	0
communis purpurens, purple	"	1	6	Elegantissimus, white-spotted			3	6
formosissimus, fine red	"	5	6	Emicans, red, white spots			1	0
gandavensis, yellow & scarlet	"	4	0	Ernst Maltravers, orange-striped			1	0
insignis, earline	"	6	0	Fanny Ellsler, rose-spotted			1	6
natalensis, buff & red	"	1	6	Gloriosa, orange			1	6
oppositiflorus, white & rose	"	3	0	Graaf van Nassau, purple			2	0
Queen Victoria, scarlet	"	5	6	Imperialis, purple-striped			1	0
ramosus, salmon rose	"	3	6	Königin der Niederlande			1	6
rosa-mundi, rosy crimson	"	4	0	Lady Duncannon, saffron			1	6
mixed Cape, diverse	"	3	6	Lady Franklin, striped			1	6
Gladiolus, Seedlings from gandavensis:				La Plus Belle, striped orange			2	6
Anna Maria	each	1	3	La Plus Eclatante, deep orange			1	6
Autwerpensis	"	1	3	La Ville d'Haarlem, lilac-spotted			1	0
Arembergianus	"	1	6	Lilacinus, lilac			1	0
Boretii	"	1	3	L'Honneur d'Amsterdam, strip.or.			2	0
Decandolle	"	1	3	Lindleyanus, orange			1	6
Duchesse d'Angleterre	"	1	3	Lisette, rose, blue spots			1	0
Fortuna	"	1	6	Lord Anekland, cherry, spotted			1	6
Grandissimus	"	1	6	Lord Byron, scarlet, white spots			2	6
Gretry	"	1	6	Lord Derby, cherry, white spots			2	6
Herbertii	"	1	6	Lord Dudley, cherry, blue spots			2	6
Hernauni	"	1	6	Lord Grey, striped lilac			1	6
Isabella	"	1	3	Lord Palmerston, rose, white spots			1	6
La Brillaute	"	1	6	Lord John Russell, orange			1	6
La Modeste	"	1	3	Louis Philippe, bright orange			2	0
Lowii	"	1	3	Madame van der Hoop, rose			1	6
Ne Plus Ultra	"	1	6	Marianne, scarlet-striped			1	6
				Orange Boven, striped orange			1	6
				Orange Lion, splendid orange			1	6
				Oscar, scarlet, purple-spotted			2	6
				Mrs. Fry, bright red, striped			1	6
				Prince Albert, bright rose			1	6
				Prince of Wales, striped red			2	0

Gladiolus ramosus <i>Seedlings</i>	each	s. d.	Amaryllis (continued).	s. d.
Prince Charles, red, purple spots	"	1 0	Cape species, white, pink stripe	each 4 0
Prince Frederick	"	1 0	New Holland species, white	" 3 6
Prince of Waterloo, orange	"	1 6	Synonyms: (a) <i>Hippeastrum</i> , (b)	
Princess Adelaide, orange	"	1 0	<i>Brunsvigia</i> , (c) <i>Vallota</i> , (d) <i>Crinum</i> ,	
Princess Alice, bright rose	"	1 0	(e) <i>Cyrtanthus</i> , as <i>Amaryllis crocata</i>	
Princess Amelia, bright rose	"	1 0	superba, or <i>Hippeastrum erocatum</i>	
Princess Elizabeth, orange-striped	"	1 0	<i>superbum</i> .	
Princess of Orange, orange	"	1 0	Anomatheca cruenta, red	per doz. 2 0
Queen Hortense, large orange	"	1 6	Chlidanthus fragrans, fragrant	each 1 0
Queen of Denmark, dark rose	"	1 0	Cohurgia flava, yellow	" 4 0
Rosca, rosy purple	"	1 0	incarnata, flesh-coloured	" 4 0
Sertorius, scarlet, white spots	"	1 0	Cyclamen Coum, Island of Cos	" 1 0
Sir Robert Peel, lilac and orange	"	1 6	neapolitanum, Neapolitan	" 1 6
Susanna, lilac, dark spots	"	1 0	persicum, Persian	" 1 0
Zenobia, striped carmine	"	1 6	— albiflorum, white	" 1 6
The above 61 splendid varieties,			— punctatum, spotted	" 1 6
forming an unrivaled collection		80 0	Cyrtanthus obliquus, oblique	" 3 6
40 fine sorts		60 0	odorus, fragrant	" 3 6
20 do. do.		30 0	sp. ex Caffraria	" 3 6
12 do. do.		18 0	Drimia sp. from the Cape	" 2 6
Gladiolus blandus, 12 fine varieties		10 0	Ferraria undulata, wave-leaved	" 1 0
— new dwarf, 12 do. do.	"	10 0	Frenchenia hulfifera, bulbiferous	" 1 6
Iris susiana, Susian	per doz.	3 6	Gladiolus, see hardy Bulbs.	
tuberosa, tuberous-rooted	"	3 0	Griffinia hyacinthiflora	" 3 6
Ismene Amancaes, Amancaes	each	1 0	Haemanthus pubescens, pubescent	" 1 6
calathina, large-cupped	"	1 0	tigrinus, tiger-streaked	" 1 6
undulata, waved	"	1 0	Melanthium triquetrum	" 1 6
Lilium speciosum album, white	"	1 6	Nerine curvifolia, fine scarlet	" 1 6
speciosum rubrum, red	"	2 6	Pentlandia miniata, vermilion	" 1 0
Leucojum vernum, spring	per doz.	4 0	Strelitzia angustifolia	" 10 0
Ornithogalum, mixed	"	2 6	Strumaria filifolia, thread-leaved	" 1 0
Paeonia, various	"	15 0	undulata, undulated	" 1 0
Polyanthes tuberosa (see Tuberoses).			Tritonia aurea, golden	" 3 0
Ranunculus, double Persian			Tropaeolum azureum, azure	" 3 6
200 extra fine sorts, named		37 6	brachyceras, short-horned	" 1 6
100 do. do. do.		20 0	Jarrattii, Mr. Jarratt's	" 1 6
100 do. new Seoleh, do.		30 0	pentaphyllum, five-leaved	" 1 0
Extra fine mixed Persian	per 100	7 0	Wachendorfia thyrsiflora	" 1 0
Good do. do.	"	3 6	Zephyranthes candida, white	per doz. 6 0
Finest mixed Turban, 10 var.	"	7 0	grandiflora, large-flowered	" 6 0
Tigridia Pavonia, Tiger-Flower	doz.	2 0		
— conchiflora, yellow	"	3 0		
— superba, scarlet	"	3 6		
Tuberoses, double (require heat),	"	4 0		

GREENHOUSE BULBS.

Alhca fastigiata, bunch-flowd	each	2 6	Carnations, prize flowers	12 pair	16 0
viridiflora, green-flowered	"	2 6	Clove do., fine dark	"	6 0
Amaryllis crocata superba (a)	"	3 6	Chrysanthemums, large, doz. 9s., 12s. &	"	18 0
falcata, sickle-shaped (b)	"	5 0	— new dwarf Pompon, per doz.	"	12 0
fulgida, glowing (a)	"	3 6	Fuchsias, per doz.	9s., 12s. and	18 0
Josephina, Josephine's (b)	"	15 0	Geraniums, per doz.	9s. to	40 0
miniata, vermilion (a)	"	3 6	Heartscase or Pansy, per doz.	"	9 0
orientalis, oriental (b)	"	7 0	Hollyhocks, very fine, per doz.	9s. to	20 0
purpurea, purple (c)	"	2 0	Picotees, white, prize-flowers, 12 pair	"	16 0
undulata, waved (d)	"	2 6	—, yellow do.	"	16 0
uniflora, single-flowered (e)	"	2 0	Pinks, prize, 12 pair	8s. to	12 0
vittata, striped (a)	"	2 6	— red and white for forcing, per doz.	"	4 0
— major, large-flowered (a)	"	4 0	Roses, Standards, per doz.	18s. to	24 0
			dwarf do. and Dwarfs, doz.	10s. to	18 0
			China &c. in pots, per doz.	12s. to	18 0
			Verhenas, per doz.	6s., 9s., 12s. and	18 0

COLLECTIONS OF BULBS.

Hardy for bedding.	s. d.	for the Greenhouse.	s. d.
36 Anemones, double in 6 colours	7 0	4 Cyclamen, in 4 varieties	5 0
24 Gladioli, in 4 colours	10 0	6 Amaryllis, in 6 fine do.	24 0
12 Ismene, in 4 species	8 0	4 Tropaeolum, in 4 do. do.	6 0
36 Tigridia Pavonia, in 3 varieties	8 0	A collection of Cape Bulbs	20 0

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
	<i>See note page 31.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, green per oz.	1 0	3 to 4	Broccoli, new Mammoth per oz.	1 0
	Asparagus, Giant per lb.	2 0		new Victoria "	1 0
	large early Batavian per oz.	6		Portsmouth "	1 0
10 to 6	Beans, <i>early sorts</i> per qt.			Potter's new pink "	1 0
	earliest dwarf Fan "	6		Snow's superb "	1 0
	early Mazagan "	6		very late dwarf Danish "	1 0
	— long-pod "	6		Wileove large white "	1 0
	green long-pod "	6		Winter Imperial "	1 0
1 to 5	Johnson's Wonderful "	6		Dilcock's Pride per pack.	2 6
	large Windsor "	6		1 oz. 8 best for succession	7 0
	Taylor's do. "	6		1 " 4 do. do.	3 6
	green do. "	6		$\frac{1}{2}$ " 8 do. do.	3 6
3 to 5	Beet, fine large red per oz.	4		$\frac{1}{2}$ " 4 do. do.	1 9
	new German "	4	3 to 4	Brussels Sprouts per oz.	6
	new purple-top "	4		imported Belgian "	1 0
	Mitchel's crimson "	4	3 to 9	Cabbage, Atkins' Matchless "	6
	turnip-rooted "	3		Barnes' early "	6
	silver or Spinach Beet "	3		Carter's early "	1 0
	white "	3		Carter's Matchless "	1 0
	Garnishing, in 3 col. per pa.	3		early Battersea "	6
3 to 4	Borecole, or Kail per oz.			— dwarf "	6
	dwarf green curled "	3		— East Ham "	6
	dwarf brown "	3		— Emperor "	6
	tall green "	3		— Downe's "	6
	Asparagus, new "	6		— Grand "	6
	Buda "	3		— Enfield "	6
	Delaware "	3		— Hope "	6
	Jerusalem "	3		— London Market "	6
	Knoll "	3		— Marrow, Tiley's "	6
	new-feathered Scotch "	4		— Nonpareil "	6
	new heading "	6		— Paignton "	6
	purple "	3		— Paragon "	1 0
	Ragged Jack "	3		— Reliance "	1 0
	variegated, 3 vars. "	6		— Sprotbro' "	6
4 to 6	Broccoli, early pur. Cape per oz.	1 0		— Sugar-loaf "	6
	Cape white "	1 0		— superfine "	6
	— green "	1 0		— Vanack "	6
3 to 5	early cauliflower "	1 0		— Wellington "	6
	— close-headed pur. "	1 0		— York "	6
	— Grauge's "	1 0		King of the Cabbages "	6
	— Malta "	1 0		Shilling's Queen "	6
	— purple "	1 0		large Battersea "	6
	— sprouting "	1 0		— Imperial "	6
3 to 4	— Waleheren "	1 0		— late "	6
	— white "	1 0		— Pomeranian "	1 0
	— Wren's "	1 0		— York "	6
	Brimstone "	1 0		— Drumhead "	3
	Chappel's cream "	1 0		1 oz. 6 finest for succession	3 6
	dwarf Russian "	1 0		$\frac{1}{2}$ " 6 do. do.	1 9
	— Siberian "	1 0		Red, for Pickling per oz.	6
	Elletson's gigantic "	1 0		— Dutch, large "	6
	Field's new white "	1 0	3 to 6	Savoy, new Uhu "	1 0
	Hampton Court "	1 0		— dwarf green "	6
	Howden's superb "	1 0		— Drumhead "	6
	Impregnated wh. "	1 0		— globe "	6
	Invisible "	1 0		— Mitchel's Dwarf "	6
	self-protecting "	1 0		— yellow "	6
	Lake's white "	1 0		— yellow Blumenthaler "	6
	large Cornish "	1 0		Chou de Milan, imported "	1 0
	— Spring white "	1 0	3 to 8	Colewort (for greens) "	6
	— — purple "	1 0		Couve Tronchuda "	1 0
	late Cape "	1 0		Kohl-Rabi, a.g. lar. pur. "	3
	— close-headed pur. "	1 0		— aboveground, ear. wh. "	6
	— white "	1 0		— do. early blue "	6
	London Particular "	1 0		— under ground, best "	6
	Miller's dwarf white "	1 0		Thousand-headed "	3

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price	Month of Sow.	pa. packet; bush. bushel.	Price
2 to 9	Carrot, early Horn per oz.	<i>s. d.</i> 3	9 to 6	Cucumber, Warwicksh. Hero pa.	<i>s. d.</i> 1 0
3 to 4	early scarlet frame " "	3		*Weddon's frame " "	6
	long Surrey, per lb. 2s. " "	2		*Webb's Invincible " "	1 0
	— orange, " " 2s. " "	2		White Spine " "	6
	fine white, for stewing " "	.3		Windsor Prize " "	6
	St. James's scarlet " "	3		6 finest varieties " "	5 0
	scarlet Altrincham, lb. 2s. " "	2		finest mixed " "	1 0
3 to 5 and in August	Cauliflower, early " "	1 6	4 & 5	Wonder " "	1 0
	late " "	1 6		Egg Plant " "	3
	large Asiatic " "	1 6	5 to 8	Endive, green curled per oz.	6
	late German " "	1 6		white curled " "	6
	Radford's Giant " "	1 6		green curled winter " "	6
	Walchereu " "	1 6		Batavian, green " "	6
	1 oz. 4 best for succession " "	5 0		— white " "	6
	$\frac{1}{2}$ " 4 do. do. " "	2 6	5 & 6	French Beans, dwarf dun, p. qt.	1 0
3 to 5	Cardoon, Spanish per oz.	6		dwarf Canterbury " "	1 0
	new large purple " "	1 0		*— dark dun " "	1 0
	Celery, Giant red " "	4		*— early forcing " "	1 0
	Giant white " "	4		— earliest Victoria " "	1 6
	Champion white " "	6		— early prolific " "	1 0
	Cole's solid red " "	6		*— Fulmer's forcing " "	1 0
	— crystal white " "	6		— Mohawk " "	1 0
	curled dwarf " "	4		*— New Nonsuch " "	1 6
	Hillingdonian red " "	6		*— Negro " "	1 0
	Jones' Matchless " "	4		— speckled " "	1 0
	Lane's new red " "	6		— Newington Wonder " "	1 6
	large-rooted Celeriac " "	3		— Royal dwarf " "	1 6
	Law's white Giant " "	4		*— Sion House " "	1 6
	Manchester red " "	4		tall or Scarlet Runners " "	1 0
	— white " "	4		— Dutch Case-knife " "	1 0
	Seymour's white " "	4		— French Haricots " "	1 0
	solid red " "	3		— Painted Lady " "	1 0
	— white " "	3	3 to 5	Ice Plant per pa.	3
	Violet de Tours " "	6	4 to 5	Indian Corn, Quarantain " "	3
	Wheeler's pink " "	3	3 to 5	Leck, London Flag per oz.	6
	Corn Salad " "	3		Musselburg " "	1 0
	new Italian " "	6		large Rouen " "	1 0
2 to 10	Cress, common per qt.	1 0		new Giant " "	1 0
	triple curled " "	1 6	3 to 9	Lettuce, Cos, Ady's " "	1 0
	golden per oz.	2		*— Cos, Bath " "	1 0
	Normandy " "	2		*— black-seeded Bath " "	1 0
	perennial Amerieau " "	3		— blood " "	1 0
	Water per pa.	6		— Brighton " "	1 0
9 to 6	Cucumber, fine frame " "	6		— Cove " "	1 0
4 & 5	long prickly, per oz. 1s. " "	3		*— brown " "	1 0
	long Ridge " "	3		*— Egyptian " "	1 0
	Stockwood, extra " "	6		— Florence " "	1 0
	short prickly " "	3		— green " "	1 0
	white Turkey " "	3		— Neapolitan " "	1 0
	<i>Prize frame varieties.</i>			— new compact " "	1 0
9 to 6	Allen's Victory of Suffolk " "	1 0		*— new hardy green " "	1 0
	Carter's Black Spine " "	1 0		*— — white " "	1 0
	— white spine " "	1 0		— — spotted " "	1 0
	*Colney Hatch, w. s. extra " "	1 0		— Nonpareil, white " "	1 0
	*— new black spine " "	1 0		— — green " "	1 0
	*Cuthill's black spine " "	6		— Paris green " "	1 0
	Defiance " "	1 0		— — white " "	1 0
	Green Emperor " "	6		— white " "	1 0
	Haben's Conqueror " "	1 0		1 oz. 6 best sorts " "	5 0
	*Improved Sion House " "	6		$\frac{1}{2}$ " 6 do. do. " "	2 6
	Kerrison's Prize " "	1 0		Cabbage, Asiatic " "	1 0
	*Lord Kenyon's favorite, " "	6		— Belle et Bonne " "	1 0
	Manchester Prize " "	6		— blood-red " "	1 0
	Man of Kent " "	6		*— brown Dutch " "	1 0
	Norfolk Hero " "	1 0		— Drumhead " "	1 0
	Pea Green " "	1 0		— Grand Admiral " "	1 0
	*Sion House " "	6		*— hardy Hammersmith " "	1 0
	Walker's Prize-fighter " "	6		— Imperial " "	1 0

* Best for Autumn and Spring Sowing.

* Best for forcing.

* Both for Autumn and Spring Sowing.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 9	Lettuce, Cab., Mag. Bouum oz.	1 0	1 to 6	Marrow, Ringwood p. qt.	8
	— Malta "	1 0		— Royal Victoria "	8
	— Marseilles "	1 0		— Woodford's green "	8
	— Mogul "	1 0		III. <i>Wrinkled Marrows.**</i>	
	*— white "	1 0	1 to 6	British Queen "	1 0
	*— pink-edged "	1 0		Carter's Victoria "	1 6
	— red Swedish "	1 0		Hairs' dwf. Mammoth "	1 6
	*— Tennis-ball "	1 0		Knight's dwarf white "	1 0
	— Turkey "	1 0		— dwarf green "	1 0
	— Victoria "	1 0		— tall white "	1 0
	— yellow Prinzenkopf "	1 0		— tall blue "	1 0
	— Silesian, brown "	1 0		— Ne Plus Ultra "	1 6
	1 oz. 6 finest sorts	5 0		King of the Marrows "	1 6
	3/4 " 6 do. do.	2 6		Ward's Incomparable "	1 6
4 to 5	Love apple (Tomato), red "	1 0		IV. <i>Various Peas.</i>	
	yellow packet 3d.	1 0	1 to 6	Bedman's Imperial "	8
3 to 6	Mallow, garnishing per pa.	3		Blue Prussian "	6
2 to 10	Mustard, white per qt.	1 0		Flack's Victory "	8
3 to 6	Onion, blood-red per oz.	4		Pride of Sussex "	1 0
	*Deptford per lb. 4s. "	4		Scimitar "	6
3 to 5	Globe " 4s. "	4		Sugar, dwarf "	1 6
	— new white "	4		Peas for Succession.	
	James's keeping "	4		10 finest sorts 1 qt. each	10 0
3 to 8	*Lisbon "	4		10 do. do. 1 pt.	5 0
	*new Giant "	6		6 newest do. 1 qt.	9 0
3 to 6	Pickling "	6		6 do. do. 1 pt.	4 6
	Portugal, brown lb. 4s. "	4		6 dwarfest do. 1 qt.	6 0
	— white " 4s. "	4		The <i>Wrinkled Marrows**</i> ,	
	*Reading " 4s. "	4		(including also <i>Champion of</i>	
	Silver-skinned "	6		England,) <i>see No. 1., form a</i>	
	Early Noceira pickling "	1 0		<i>distinct class, and can be highly</i>	
	*Spanish, brown " 4s. "	4		<i>recommended. Carter's Vic-</i>	
	*— white " 4s. "	4		<i>tor's Marrow is warranted the</i>	
3 to 8	*Strasburg "	4		<i>largest and finest-flavoured of</i>	
	*Tripoli, large flat "	6		<i>all the White Peas. II. III. and</i>	
	*— — round "	6		<i>IV. all good for middle and late</i>	
3 to 9	Two-bladed early "	6		<i>crops. Royal Victoria and Car-</i>	
8 to 9	Welch "	3		<i>ter's Victoria for very late crops.</i>	
	6 finest sorts, 2 oz. each	5 0	4 to 5	Pompkin, large yellow per pa.	3
	6 do. do. 1 do.	2 6		green Spanish "	3
3 to 8	Parsley, extra curled per oz.	3		Mammoth "	3
	Myatt's garnishing "	3		Potato, early per pa. 6d. p. oz.	1 6
	new matchless "	6		late " 6d. "	1 6
3 to 5	large-rooted Hamburg "	3		Silver-skin " 1s. "	3 6
	Parsnip, best large "	3	1 to 9	Radish, long frame per qt.	2 0
	Hollow-crowned "	3		Wood's new frame "	2 0
	Turnip-rooted "	3		early scarlet "	2 0
10 to 5	Peas: I. <i>Earliest sorts.</i>			new London Particular, "	2 0
	Warner's Emperor per qt.	9		early short topt "	2 0
	Prince Albert "	9		long Salmon "	2 0
	early frame 6d., Kent "	6		long white "	2 0
	— May 6d., Warwick "	6		white Naples "	3 0
	— Charlton "	6		red Turnip "	2 0
	Auvergne, fine "	9		white Turnip "	2 0
	Bishop's new long-pod. "	1 0		mixed Turnip "	2 0
	**Champion of Engl. "	1 0		new olive-shaped per oz.	3
	Early blue, Eclipse "	1 0		black Spanish "	3
	Fairbeard's Surprise "	1 0		new China rose-col ^d "	6
	Paul's dwarf prolific "	2 6	4 to 6	Rampion per pa.	3
	II. <i>Later sorts.</i>			Rhubarb, mixed "	6
1 to 6	Marrow, Stub's e. blue "	1 0		Eleonora "	6
	— early green "	8		Royal Albert "	6
	— dwarf white "	8		Tobolsk "	6
	— dwarf green "	8		Victoria "	6
	— Noble's early green "	1 0			
	— Glory of England "	8			
	— matchless green "	8			

N.B. 4 quart
of Peas equal
to 2 lb.

Month. of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
4 to 6	Salsafy, root per oz.	4		Horchound Purslain, golden	
	Scorzoner, root "	4		Ilyssop Rosemary	
3 to 6	Sea Kail "	6		Lavender Rue	
	Skirret, root "	6		Marjoram, pot Sage	
	Sorrel "	4		— sweet Savory, Summer	
3 to 9	Spinaeh, round per qt.	1 0		Orach — Winter	
	new Gaudry per oz.	4		Nettle Tarragon, plants	
	prickly per qt.	1 0		Pimpernel Tobacco, fumig.	
	broad Flanders "	1 0		Pot Marigold Thyme	
3 to 6	New Zealand per oz.	6		Purslain, green Wormwood	
4 to 5	Squash, fine mixed per pa.	3		<i>Chives, Lemon Thyme and Tarragon to be had in Plants only.</i>	
	— Autumnal Marrow "	3			
	— Golden Bush "	3			
	— Lima Cocoa Nut "	3			
	— Summer Crookneck, "	3			
	— Winter do. "	3			
	— White Scallop Bush "	3			
3 to 8	Turnip, early Dutch, lb. 2s., oz.	2			
	early Mousetail, " 2s., "	2			
	— Six-week "	3			
	— Snowball "	3			
	— Nonsueh "	3			
	— Stone, lb. 2s. "	2			
	new black for stewing "	4			
	large white "	2			
	yellow Maltese "	3			
	— Dutch "	3			
	— Preston "	3			
	— Stone "	3			
	— Swedish "	2			
	— Teltan or Märksche "	6			
4 to 6	Vegetable Marrow per pa.	3			
	white, egg-shaped "	3			
HERBS.					
<i>In 3d. Packets ; or per Ounce ; to be sown in April or May.</i>					
	Angelica Buglos				
	Anisc Capsicum				
	Balm Chervil				
	Basil, bush Chilis				
	— sweet Clary				
	Benedict Fennel				
	Borage — Florence				

FRUIT SEEDS. Per packet.

No.		<i>s. d.</i>	No.		<i>s. d.</i>	No.		<i>s. d.</i>
1700	Apricot each	6	1724	Melon, Pen-green	1 0	1748	Melon, fine mixed, 20 var.	1 0
1701	Currant, white, red & black	6	1725	— Pekin	1 0	1749	— Water, black Spanish	6
1702	Gooseberry, white	6	1726	Pine-apple, small	6	1750	— Carolina	6
1703	— red	6	1727	Pitfour, fine	6	1751	— Ice-cream	6
1704	Grape, finest-flavoured	1 0	1728	Pomegranate	6	1752	— Long Island	6
1705	Melon, Beechwood	1 0	1729	Provence, superb	1 0	1753	— Sweet Cabul	6
1706	— Black Rock	6	1730	Queen's Pocket	1 0	1754	— Nos. 1749 to 1753	2 0
1707	— Bromham Hall	1 0	1731	Royal Fitzgerald	1 0	1755	— fine mixed	6
1708	— Bushy's scarlet-flesh	1 0	1732	— scarlet-flesh	6	1756	— Mulberry, white	6
1709	— Carter's green-flesh	1 0	1733	— scarlet do., warted	6	1757	— black	6
1710	— Cassabar	6	1734	— scarlet Rock	6	1758	Nectarine	6
1711	— Clifton hybrid	6	1735	— Sirdar	6	1759	Quince	6
1712	— Delicious rough	1 0	1736	— Skilman's Netted	6	1760	Peach	6
1713	— Early Cantalupe	6	1737	— small green-flesh	6	1761	Pear and Apple each	6
1714	— Egyptian green-flesh	6	1738	— netted orange	6	1762	Plum, mixed	6
1715	— Fine Nutmeg	6	1739	— Snow's prize	1 0	1763	Raspberry, finest red	6
1716	— Goodwin's Imperial	6	1740	— splendid large green	1 0	1764	— white Alpine	6
1717	— Green Citron	6	1741	— striped, from Tiffis	1 0	1765	— British Queen	6
1718	— Green-flesh	6	1742	— sweet Isaphan	6	1766	— Comte de Paris	6
1719	— Hybrid green-flesh	6	1743	— Transparent green	6	1767	— Elton Pine	6
1720	— Ionian green-flesh	6	1744	— Trentham Hall	1 0	1768	— old Pine	6
1721	— Kew Green	6	1745	— white apple-flavoured	1 0	1769	— Princess Royal	6
1722	— Netted green-flesh	6	1746	— white melting Valencia	5 0			
1723	— Passingham	1 0	1747	— 6 finest sorts				

AGRICULTURAL SEEDS.

The prices of Clover and other Agricultural Seeds are variable.

	s. d.		s. d.
Beet, Sugar	per lb.	Kail, curled	per lb.
Buck Wheat	per bush.	Mangel-Wurzel, long red	"
Burnet	per lb. or cwt.	— long yellow	"
Broom	" "	— long white	"
Cabbage, Drumhead	per lb.	— red Globe	"
— flat Brimswick	"	— white Globe	"
— flat Dutch	"	— yellow Globe	"
— large Savoy	"	Mustard, white	bush.
— Thousand-headed	"	— brown	"
— Kohl-Rabi, purple	"	Parsley	"
— green	"	Parsnip	lb.
— under-ground	"	— large Guernsey	"
Carrot, long red	"	Rape, broad-leaved	bush.
— largest red Altringham	"	Spurry, <i>Spergula arvensis</i>	lb.
— white Belgian	"	Rye	bush.
— yellow Belgian	"	Tares, Spring	"
Caraway	per lb. or cwt.	— Winter	"
Chicory	lb.		
— large-rooted for Coffee	"		
Flax or Linseed	bush.		
Forze, Gorse or Whin	lb.		
— French do.	"		
Gold of Pleasure, <i>Camelina Sativa</i>	"		

TEXIAN GRAIN, new, resembles Wheat in size, but is shorter and rather thicker in proportion and without the furrow. To be had in very small packets only. Price 1s. per packet.

GRASS, CLOVER, AND OTHER FORAGE PLANTS.

	s. d.		s. d.
<i>Achillea millefolia</i> , Yarrow	per bush. or per lb.	<i>Lolium perenne</i> scarpervirens, evergreen	
<i>Agrostis stolonifera</i> , <i>Florea</i> or <i>Bent</i>	"	Rye Grass	per bush.
<i>Aira caespitosa</i> , tufted Hair Grass	"	— annuum, annual	do.
<i>Alopecurus pratensis</i> , Meadow Foxtail	"	<i>Lotus corniculatus</i> , Bird's-foot Trefoil	lb.
<i>Anthoxanthum odoratum</i> , Sweet Vernal	"	<i>Medicago sativa</i> , Lucerne	"
<i>Arrhenatherum avenaceum</i> , French Rye Grass	"	— lupulina, common Trefoil	cwt.
<i>Avena clatior</i> , tall Oat Grass	"	<i>Melilotus leucantha</i> major, Bokhara Clover	lb.
— flavescens, yellow Oat do.	"	<i>Onobrychis sativa</i> , Sainfoin	bush.
<i>Cynosurus cristatus</i> , crested Dog's-tail	"	<i>Phleum pratense</i> , Timothy or Cat's-tail	lb.
<i>Dactylis glomerata</i> , Rough Cock's-foot	"	<i>Poa angustifolia</i> , narrow-leaved Meadow	"
<i>Festuca duriuscula</i> , Hard Fescue	"	— pratensis, smooth-stalked Meadow	"
— clatior, tall Fescue	"	— nemoralis, wood Meadow	"
— ovina, sheep's Fescue	"	— nervosa, strong Meadow	"
— pratensis, meadow Fescue	"	— trivialis, trivial or rough-stalked Meadow	"
— rubra, red Fescue	"	<i>Trifolium pratense</i> , red Clover	cwt. or lb.
— tenuifolia, fine-leaved Fescue	"	— perenne, perennial or Cow Grass	"
<i>Holcus lanatus</i> , Yorkshire Fog	"	— repens, white or Dutch Clover	"
<i>Lolium italicum</i> , Italian Rye Grass	per bush.	— hybridum, or Alsike	"
perenne, Perennial	do.	— incarnatum, crimson Italian	"
— Pacey's	do.	— minus, Suckling	"

MIXED GRASS SEEDS FOR LAWNS, PASTURES, &c.

	lb.	bush.	acre.		lb.	bush.	acre.
Lawn Grass for light soils				Permanent Grass, for light soils			
— for heavy	do.			— for heavy	do.		
— „ gravelly dry	do.			— gravelly dry	do.		
— „ marshy	do.			— marshy	do.		
— „ mossy	do.			— mossy	do.		
— „ moory	do.			— moory	do.		

REFERENCE TO THE NEWEST ANNUALS, &c.

New Hardy Annuals: 274, 279, 531, 568, 596, 598, 642, 645, 719, 730, 1130 and 1179. Nos. 274 to 1179 inclusive 6s.—Half Hardy Annuals: 72, 125, 441, 491, 610, 619, 623, 624, 675, 790, 811, 822, 823, 825, 828, 859, 862, 948, 951, 990, 1157, 1158 and 1241. Nos. 72 to 1241 inclusive 10s.—Biennials and Perennials: 111, 113, 286, 327, 808, 819, 840, 939, 1170, 1173 and 1272. Nos. 111 to 1272 inclusive 5s.—Greenhouse Seeds: 308, 480, 632, 635, 685, 765 and 946. Nos. 308 to 946 inclusive 5s.

TEXIAN FLOWER SEEDS.

Nos. 154, 266, 294, 523, 549, 550, 875 and 936. Nos. 154 to 936 inclusive 6s.; also:

No.	s. d.	No.	s. d.	No.	s. d.
1642 Allium, fragrant species	6	1615 Fragrant Shrub	1 0	1648 New Annual, yellow	1 0
1643 Ipomopsis, bright scarlet	1 0	1646 New Annual, pink	2 6	1649 Ornamental, Evergreen	1 0
1644 Lupinus, fine species	6	1647 New Annual, blue	1 0	1612 to 1649 inclusive	7 0